

The Beetles of Ayrshire (Vice-County 75)

Introduction

This is a very preliminary and provisional summary of the Coleoptera (beetles) of mainland Ayrshire. While I have thought of producing such a summary for some time the stimulus for action has been provided by the restrictions imposed as a consequence of the Covid 19 outbreak and in lieu of actual recording in the field. It does not claim to be in any way definitive and I am aware that there are likely to be many more historical Ayrshire records in the Scottish Invertebrate Records Index (SIRI) which is housed, in paper format, at the currently unavailable National Museum of Scotland and also more recent ones in iRecord and the NBN Atlas.

Mainland Ayrshire

Limiting the area covered to mainland Ayrshire is a consequence of the using the long-established vice-county system which was introduced by H.W. Watson in 1852 as a way of dividing Great Britain into 112 roughly equal sized areas. These were accepted as a logical basis for recording the distribution of plants and animals (en.wikipedia.org/wiki/Vice-county) and are still widely used. Under this system the Cumbraes and Arran, now included in North Ayrshire, were incorporated into the Clyde Isles (VC100). The decision to continue to use only mainland Ayrshire allows for the easy inclusion of historical records, especially for the 19th century ones, which are usually listed by vice-county.

The List

The following table records the first and latest dates on which each species has been recorded plus the number of records. Where there were more than 10 records the number is simply noted as 'many'. In putting this list together, a number of species have been left out as it is considered that the record is doubtful. Examples include the distinctive Welsh oak longhorn beetle (*Pyrrhidium sanguineum*) which is largely confined to Welsh oakwoods and the lesser silver water beetle (*Hydrochara caraboides*) which is found in a few scattered locations in England and Wales and is considered highly unlikely in Ayrshire. This does not mean that all of the other records are definitely valid but they are considered to be possible. As many of the records are old and there are no voucher specimens it is not possible to verify them all.

Status

The column headed 'Status' gives some indication of the national rarity or threat status of a species. includes a number of abbreviations that require some explanation. However, it should be borne in mind that the status of British beetles is being reviewed at the moment and the list includes some old and some new categories.

- ❖ Threat: The threat categories comply with those recommended by the International Union for the Conservation of Nature (IUCN). The details need not concern us here but they cover the reasons why a species may be considered to be threatened – e.g. endangered, vulnerable, near threatened etc. and all are included under the heading RDB (Red Data Book).
- ❖ Rarity: This refers to the number of 10x10km squares (hectads) in which a species has been recorded. The large number of categories reflects the fact that the reviews of some beetle families have not been updated recently. This is confusing but the intention is that the rarity categories used for all beetles will be NR and NS.

| Category | No. of hectads |
|----------|----------------|
| NR | 1-15 |
| Na | 1-30 |
| NS | 16-100 |
| Nb | 31-100 |
| Notable | 16-100 |

There is currently no similar system for indicating rarity at a Scottish level, much less at an Ayrshire level, and unfortunately the number of records shown for each species on the list is not a reliable indicator of a species' status in Ayrshire. The recording effort has not been split evenly across all groups of beetles. For example, much attention has been paid to water beetles (Dytiscidae) and ground beetles (Carabidae) while the rove beetles (Staphylinidae) and feather-winged beetles (Ptiliidae) are less well recorded.

Corrections and additions

If anyone finds any mistakes or omissions please let me know (brucephil47@gmail.com). The list is far from complete and any new records are very welcome.

| Code | Family | Taxon | Authority | First Recorded | Records | Last Recorded | Status |
|-------------|---------------|------------------------|----------------------|-----------------------|----------------|----------------------|---------------|
| 2 | Gyrinidae | Gyrinus aeratus | Stephens, 1835 | 1974 | 2 | 1992 | NS |
| 2 | Gyrinidae | Gyrinus caspius | Menetries, 1832 | 1908 | many | 1988 | |
| 2 | Gyrinidae | Gyrinus marinus | Gyllenhal, 1808 | 1977 | 7 | 1988 | |
| 2 | Gyrinidae | Gyrinus minutus | Fabricius, 1798 | 1976 | 6 | 1992 | NS |
| 2 | Gyrinidae | Gyrinus paykulli | Ochs, 1927 | 1856 | 1 | 1856 | NS |
| 2 | Gyrinidae | Gyrinus substriatus | Stephens, 1828 | 1908 | many | 2020 | |
| 2 | Gyrinidae | Orectochilus villosus | (Müller, O.F., 1776) | 1900 | 9 | 2009 | |
| 3 | Haliplidae | Brychius elevatus | (Panzer, 1793) | 1910 | many | 2014 | |
| 3 | Haliplidae | Haliplus confinis | Stephens, 1828 | 1908 | many | 2013 | |
| 3 | Haliplidae | Haliplus flavicollis | Sturm, 1834 | 1908 | many | 2017 | |
| 3 | Haliplidae | Haliplus fluviatilis | Aubé, 1836 | 1910 | many | 1985 | |
| 3 | Haliplidae | Haliplus fulvus | (Fabricius, 1801) | 1908 | many | 2013 | |
| 3 | Haliplidae | Haliplus immaculatus | Gerhardt, 1877 | 1912 | 3 | 2020 | |
| 3 | Haliplidae | Haliplus lineatocollis | (Marsham, 1802) | 1908 | many | 2018 | |
| 3 | Haliplidae | Haliplus lineolatus | Mannerheim, 1844 | 1974 | many | 2020 | |
| 3 | Haliplidae | Haliplus obliquus | (Fabricius, 1787) | 1976 | 2 | 1977 | |
| 3 | Haliplidae | Haliplus ruficollis | (De Geer, 1774) | 1908 | many | 2020 | |
| 3 | Haliplidae | Haliplus sibiricus | Motschulsky, 1860 | 1908 | many | 2017 | |
| 4 | Noteridae | Noterus clavicornis | (De Geer, 1774) | 1985 | many | 2020 | |
| 6 | Dytiscidae | Acilius canaliculatus | (Nicolai, 1822) | 1994 | 3 | 2019 | NS |
| 6 | Dytiscidae | Acilius sulcatus | (Linnaeus, 1758) | 1911 | many | 2017 | |
| 6 | Dytiscidae | Agabus affinis | (Paykull, 1798) | 1972 | many | 2020 | |
| 6 | Dytiscidae | Agabus arcticus | (Paykull, 1798) | 1911 | many | 1992 | |
| 6 | Dytiscidae | Agabus biguttatus | (Olivier, 1795) | 1974 | 9 | 2001 | NS |
| 6 | Dytiscidae | Agabus bipustulatus | (Linnaeus, 1767) | 1897 | many | 2020 | |
| 6 | Dytiscidae | Agabus congener | (Thunberg, 1794) | 1974 | many | 2014 | |
| 6 | Dytiscidae | Agabus guttatus | (Paykull, 1798) | 1972 | many | 2019 | |
| 6 | Dytiscidae | Agabus nebulosus | (Forster, 1771) | 1910 | many | 2020 | |

| | | | | | | | |
|---|------------|-----------------------------------|-----------------------------------------|------|------|------|------------|
| 6 | Dytiscidae | <i>Agabus paludosus</i> | (Fabricius, 1801) | 1911 | many | 2020 | |
| 6 | Dytiscidae | <i>Agabus sturmii</i> | (Gyllenhal, 1808) | 1908 | many | 2020 | |
| 6 | Dytiscidae | <i>Agabus unguicularis</i> | Thomson, C.G., 1867 | 1975 | many | 2019 | |
| 6 | Dytiscidae | <i>Colymbetes fuscus</i> | (Linnaeus, 1758) | 1908 | many | 2018 | |
| 6 | Dytiscidae | <i>Deronectes latus</i> | (Stephens, 1829) | 1974 | 9 | 2012 | NS |
| 6 | Dytiscidae | <i>Dytiscus marginalis</i> | Linnaeus, 1758 | 1910 | many | 2020 | |
| 6 | Dytiscidae | <i>Dytiscus semisulcatus</i> | Müller, O.F., 1776 | 1911 | many | 2017 | |
| 6 | Dytiscidae | <i>Graptodytes pictus</i> | (Fabricius, 1787) | 1911 | 7 | 1985 | |
| 6 | Dytiscidae | <i>Hydroporus angustatus</i> | Sturm, 1835 | 1974 | many | 2020 | |
| 6 | Dytiscidae | <i>Hydroporus discretus</i> | Fairmaire & Brisout de Barneville, 1859 | 1910 | many | 2014 | |
| 6 | Dytiscidae | <i>Hydroporus elongatulus</i> | Sturm, 1835 | 1975 | many | 2014 | RDB Vu, NR |
| 6 | Dytiscidae | <i>Hydroporus erythrocephalus</i> | (Linnaeus, 1758) | 1874 | many | 2020 | |
| 6 | Dytiscidae | <i>Hydroporus ferrugineus</i> | Stephens, 1829 | 1910 | many | 2000 | NS |
| 6 | Dytiscidae | <i>Hydroporus gyllenhalii</i> | Schiödte, 1841 | 1910 | many | 2020 | |
| 6 | Dytiscidae | <i>Hydroporus incognitus</i> | Sharp, 1869 | 1908 | many | 2020 | |
| 6 | Dytiscidae | <i>Hydroporus longicornis</i> | Sharp, 1871 | 1972 | many | 2020 | RDB NT |
| 6 | Dytiscidae | <i>Hydroporus longulus</i> | Mulsant & Rey, 1861 | 1911 | many | 1995 | |
| 6 | Dytiscidae | <i>Hydroporus melanarius</i> | Sturm, 1835 | 1972 | many | 2018 | |
| 6 | Dytiscidae | <i>Hydroporus memnonius</i> | Nicolai, 1822 | 1970 | many | 2020 | |
| 6 | Dytiscidae | <i>Hydroporus morio</i> | Aubé, 1838 | 1908 | many | 2018 | |
| 6 | Dytiscidae | <i>Hydroporus nigrita</i> | (Fabricius, 1792) | 1908 | many | 2020 | |
| 6 | Dytiscidae | <i>Hydroporus obscurus</i> | Sturm, 1835 | 1911 | many | 2019 | |
| 6 | Dytiscidae | <i>Hydroporus obsoletus</i> | Aubé, 1838 | 1908 | many | 2009 | NS |
| 6 | Dytiscidae | <i>Hydroporus palustris</i> | (Linnaeus, 1761) | 1908 | many | 2020 | |
| 6 | Dytiscidae | <i>Hydroporus planus</i> | (Fabricius, 1782) | 1908 | many | 2020 | |
| 6 | Dytiscidae | <i>Hydroporus pubescens</i> | (Gyllenhal, 1808) | 1908 | many | 2020 | |
| 6 | Dytiscidae | <i>Hydroporus striola</i> | (Gyllenhal, 1826) | 1911 | many | 2020 | |
| 6 | Dytiscidae | <i>Hydroporus tessellatus</i> | (Drapiez, 1819) | 1978 | 10 | 2018 | |
| 6 | Dytiscidae | <i>Hydroporus tristis</i> | (Paykull, 1798) | 1910 | many | 2020 | |
| 6 | Dytiscidae | <i>Hydroporus umbrosus</i> | (Gyllenhal, 1808) | 1972 | many | 2017 | |
| 6 | Dytiscidae | <i>Hygrotus confluens</i> | (Fabricius, 1787) | 1974 | 7 | 1982 | |

| | | | | | | | |
|---|------------|----------------------------------------|-------------------------------|------|------|------|------------|
| 6 | Dytiscidae | <i>Hygrotus impressopunctatus</i> | (Schaller, 1783) | 1977 | many | 2009 | |
| 6 | Dytiscidae | <i>Hygrotus inaequalis</i> | (Fabricius, 1777) | 1911 | many | 2017 | |
| 6 | Dytiscidae | <i>Hygrotus novemlineatus</i> | (Stephens, 1829) | 1911 | 5 | 1996 | RDB NT, NS |
| 6 | Dytiscidae | <i>Hygrotus quinquelineatus</i> | (Zetterstedt, 1828) | 1974 | 10 | 2006 | NS |
| 6 | Dytiscidae | <i>Hyphydrus ovatus</i> | (Linnaeus, 1761) | 1977 | many | 2020 | |
| 6 | Dytiscidae | <i>Ilybius aenescens</i> | Thomson, C.G., 1870 | 1974 | many | 2011 | |
| 6 | Dytiscidae | <i>Ilybius ater</i> | (De Geer, 1774) | 1911 | many | 2020 | |
| 6 | Dytiscidae | <i>Ilybius fuliginosus</i> | (Fabricius, 1792) | 1908 | many | 2020 | |
| 6 | Dytiscidae | <i>Ilybius guttiger</i> | (Gyllenhal, 1808) | 1975 | 7 | 2020 | |
| 6 | Dytiscidae | <i>Ilybius montanus</i> | (Stephens, 1828) | 1975 | 10 | 2008 | |
| 6 | Dytiscidae | <i>Laccophilus minutus</i> | (Linnaeus, 1758) | 1895 | many | 2020 | |
| 6 | Dytiscidae | <i>Nartus (Rhantus) graptii</i> | (Gyllenhal, 1808) | 2019 | 2 | 2019 | |
| 6 | Dytiscidae | <i>Nebrioporus assimilis</i> | (Paykull, 1798) | 1908 | many | 2020 | |
| 6 | Dytiscidae | <i>Nebrioporus depressus</i> | (Fabricius, 1775) | 1915 | 13 | 2011 | RDB NT, NS |
| 6 | Dytiscidae | <i>Nebrioporus elegans</i> | (Panzer, 1794) | 1911 | many | 2020 | |
| 6 | Dytiscidae | <i>Nectoporus sanmarkii</i> | (Sahlberg, C.R., 1826) | 1910 | many | 2020 | |
| 6 | Dytiscidae | <i>Oreodytes davisii</i> | (Curtis, 1831) | 1910 | many | 2009 | RDB NT |
| 6 | Dytiscidae | <i>Oreodytes septentrionalis</i> | (Gyllenhal, 1826) | 1910 | many | 2020 | |
| 6 | Dytiscidae | <i>Platambus maculatus</i> | (Linnaeus, 1758) | 1910 | many | 2020 | |
| 6 | Dytiscidae | <i>Rhantus exsoletus</i> | (Forster, 1771) | 1911 | many | 2020 | |
| 6 | Dytiscidae | <i>Rhantus frontalis</i> | (Marsham, 1802) | 1910 | 3 | 1911 | NS |
| 6 | Dytiscidae | <i>Rhantus suturellus</i> | (Harris, T.W., 1828) | 1911 | many | 2019 | |
| 6 | Dytiscidae | <i>Stictonectes lepidus</i> | (Olivier, 1795) | 1910 | many | 1990 | RDB NT |
| 6 | Dytiscidae | <i>Stictotarsus duodecimpustulatus</i> | (Fabricius, 1792) | 1910 | many | 2020 | |
| 7 | Carabidae | <i>Abax parallelepipedus</i> | (Piller & Mitterpacher, 1783) | 1908 | many | 2020 | |
| 7 | Carabidae | <i>Aepus marinus</i> | (Strom, 1768) | 1910 | 1 | 1910 | NS |
| 7 | Carabidae | <i>Agonum emarginatum</i> | (Gyllenhal, 1827) | 2018 | 1 | 2018 | |
| 7 | Carabidae | <i>Agonum ericeti</i> | (Panzer, 1809) | 2014 | 8 | 2015 | NS |
| 7 | Carabidae | <i>Agonum fuliginosum</i> | (Panzer, 1809) | 1962 | many | 2020 | |
| 7 | Carabidae | <i>Agonum gracile</i> | Sturm, 1824 | 2006 | 5 | 2017 | |
| 7 | Carabidae | <i>Agonum gracilipes</i> | (Duftschmid, 1812) | 1960 | 4 | 1980 | RDB NA, NR |

| | | | | | | | |
|---|-----------|--------------------------------|--------------------------|------|------|------|----|
| 7 | Carabidae | <i>Agonum marginatum</i> | (Linnaeus, 1758) | 1990 | 6 | 2019 | |
| 7 | Carabidae | <i>Agonum muelleri</i> | (Herbst, 1784) | 1984 | many | 2019 | |
| 7 | Carabidae | <i>Agonum piceum</i> | (Linnaeus, 1758) | 1990 | 6 | 2017 | |
| 7 | Carabidae | <i>Agonum thoreyi</i> | Dejean, 1828 | 2006 | many | 2020 | |
| 7 | Carabidae | <i>Amara aenea</i> | (De Geer, 1774) | 1986 | many | 2019 | |
| 7 | Carabidae | <i>Amara apricaria</i> | (Paykull, 1790) | 1908 | 6 | 2003 | |
| 7 | Carabidae | <i>Amara bifrons</i> | (Gyllenhal, 1810) | 1990 | 4 | 2018 | |
| 7 | Carabidae | <i>Amara communis</i> | (Panzer, 1797) | 1988 | many | 2019 | |
| 7 | Carabidae | <i>Amara curta</i> | Dejean, 1828 | 1960 | 6 | 1988 | NS |
| 7 | Carabidae | <i>Amara equestris</i> | (Duftschmid, 1812) | 2016 | 1 | 2016 | NS |
| 7 | Carabidae | <i>Amara familiaris</i> | (Duftschmid, 1812) | 1990 | 10 | 2018 | |
| 7 | Carabidae | <i>Amara fulva</i> | (Müller, O.F., 1776) | 1990 | 3 | 2011 | NS |
| 7 | Carabidae | <i>Amara lunicollis</i> | Schiödt, 1837 | 1977 | many | 2019 | |
| 7 | Carabidae | <i>Amara ovata</i> | (Fabricius, 1792) | 1910 | many | 2020 | |
| 7 | Carabidae | <i>Amara plebeja</i> | (Gyllenhal, 1810) | 1977 | many | 2020 | |
| 7 | Carabidae | <i>Amara praetermissa</i> | (Sahlberg, C.R., 1827) | 1962 | 3 | 2018 | NS |
| 7 | Carabidae | <i>Amara similata</i> | (Gyllenhal, 1810) | 2007 | 4 | 2019 | |
| 7 | Carabidae | <i>Amara tibialis</i> | (Paykull, 1798) | 1990 | many | 2019 | |
| 7 | Carabidae | <i>Anchomenus dorsalis</i> | (Pontoppidan, 1763) | 1974 | many | 2019 | |
| 7 | Carabidae | <i>Anisodactylus binotatus</i> | (Fabricius, 1787) | 1901 | 3 | 2015 | |
| 7 | Carabidae | <i>Asaphidion flavipes</i> | (Linnaeus, 1761) | 1960 | 4 | 2008 | NS |
| 7 | Carabidae | <i>Asaphidion pallipes</i> | (Duftschmid, 1812) | 1992 | 1 | 1992 | NS |
| 7 | Carabidae | <i>Badister bullatus</i> | (Schrank, 1798) | 1987 | 10 | 2019 | |
| 7 | Carabidae | <i>Badister sodalis</i> | (Duftschmid, 1812) | 1981 | 1 | 1981 | |
| 7 | Carabidae | <i>Bembidion aeneum</i> | Germer, 1824 | 1983 | many | 2020 | |
| 7 | Carabidae | <i>Bembidion bipunctatum</i> | (Linnaeus, 1761) | 1960 | 10 | 2018 | NS |
| 7 | Carabidae | <i>Bembidion bruxellense</i> | Wesmael, 1835 | 1988 | many | 2015 | |
| 7 | Carabidae | <i>Bembidion decorum</i> | (Zenker in Panzer, 1800) | 1960 | 7 | 2015 | |
| 7 | Carabidae | <i>Bembidion deletum</i> | Audinet-Serville, 1821 | 1986 | 3 | 1986 | |
| 7 | Carabidae | <i>Bembidion doris</i> | (Panzer, 1796) | 1990 | 4 | 2019 | |
| 7 | Carabidae | <i>Bembidion femoratum</i> | Sturm, 1825 | 1982 | 2 | 2020 | |

| | | | | | | | |
|---|-----------|---------------------------|--------------------------|------|------|------|----|
| 7 | Carabidae | Bembidion geniculatum | Heer, 1837/8 | 2001 | 4 | 2020 | NS |
| 7 | Carabidae | Bembidion guttula | (Fabricius, 1792) | 1988 | many | 2016 | |
| 7 | Carabidae | Bembidion lampros | (Herbst, 1784) | 1921 | many | 2020 | |
| 7 | Carabidae | Bembidion lunatum | (Duftschmid, 1812) | 1960 | 3 | 1980 | NS |
| 7 | Carabidae | Bembidion mannerheimii | Sahlberg, C.R., 1827 | 1982 | many | 2020 | |
| 7 | Carabidae | Bembidion minimum | (Fabricius, 1792) | 2018 | 4 | 2018 | |
| 7 | Carabidae | Bembidion monticola | Sturm, 1825 | 1960 | 5 | 2017 | NS |
| 7 | Carabidae | Bembidion pallidipenne | (Illiger, 1802) | 1902 | many | 1987 | NS |
| 7 | Carabidae | Bembidion prasinum | (Duftschmid, 1812) | 1990 | 2 | 2015 | NS |
| 7 | Carabidae | Bembidion punctulatum | Drapiez, 1821 | 1996 | 2 | 2015 | |
| 7 | Carabidae | Bembidion quadrimaculatum | (Linnaeus, 1761) | 1960 | 7 | 2018 | |
| 7 | Carabidae | Bembidion saxatile | Gyllenhal, 1827 | 1901 | 3 | 1980 | NS |
| 7 | Carabidae | Bembidion schuppelii | Dejean, 1831 | 1960 | many | 2020 | NS |
| 7 | Carabidae | Bembidion stephensii | Crotch, 1866 | 2015 | 4 | 2016 | NS |
| 7 | Carabidae | Bembidion stomoides | Dejean, 1831 | 1960 | 3 | 1996 | |
| 7 | Carabidae | Bembidion tetracolum | Say, 1825 | 1988 | many | 2020 | |
| 7 | Carabidae | Bembidion tibiale | (Duftschmid, 1812) | 1996 | 5 | 2020 | |
| 7 | Carabidae | Blethisa multipunctata | (Linnaeus, 1758) | 1990 | 5 | 2018 | NS |
| 7 | Carabidae | Bracteon litorale | (Olivier, 1790) | 1990 | 3 | 1990 | NS |
| 7 | Carabidae | Bradycellus harpalinus | (Audinet-Serville, 1821) | 1962 | many | 2020 | |
| 7 | Carabidae | Bradycellus ruficollis | (Stephens, 1828) | 2013 | 1 | 2013 | |
| 7 | Carabidae | Bradycellus verbasci | (Duftschmid, 1812) | 1977 | many | 2019 | |
| 7 | Carabidae | Broscus cephalotes | (Linnaeus, 1758) | 1900 | many | 2019 | |
| 7 | Carabidae | Calathus erratus | (Sahlberg, C.R., 1827) | 1896 | many | 2019 | |
| 7 | Carabidae | Calathus fuscipes | (Goeze, 1777) | 1962 | many | 2018 | |
| 7 | Carabidae | Calathus melanocephalus | (Linnaeus, 1758) | 1954 | many | 2019 | |
| 7 | Carabidae | Calathus micropterus | (Duftschmid, 1812) | 1990 | 1 | 1990 | |
| 7 | Carabidae | Calathus mollis | (Marsham, 1802) | 1954 | many | 2018 | |
| 7 | Carabidae | Calathus rotundicollis | Dejean, 1828 | 1987 | many | 2020 | |
| 7 | Carabidae | Calodromius spilotus | (Illiger, 1798) | 2013 | 1 | 2013 | |
| 7 | Carabidae | Carabus arvensis | Herbst, 1784 | 1988 | 5 | 2000 | |

| | | | | | | | |
|---|-----------|----------------------------------|-------------------------|------|------|------|----|
| 7 | Carabidae | <i>Carabus glabratus</i> | Paykull, 1790 | 2019 | 3 | 2019 | |
| 7 | Carabidae | <i>Carabus granulatus</i> | Linnaeus, 1758 | 1904 | 10 | 2018 | |
| 7 | Carabidae | <i>Carabus nemoralis</i> | Müller, O.F., 1764 | 1982 | many | 2020 | |
| 7 | Carabidae | <i>Carabus nitens</i> | Linnaeus, 1758 | 1988 | 5 | 2019 | NS |
| 7 | Carabidae | <i>Carabus problematicus</i> | Herbst, 1786 | 1988 | many | 2019 | |
| 7 | Carabidae | <i>Carabus violaceus</i> | Linnaeus, 1758 | 1904 | many | 2020 | |
| 7 | Carabidae | <i>Cicindela campestris</i> | Linnaeus, 1758 | 1899 | many | 2020 | |
| 7 | Carabidae | <i>Cillenus lateralis</i> | Leach in Samuelle, 1819 | 1910 | 1 | 1910 | NS |
| 7 | Carabidae | <i>Clivina collaris</i> | (Herbst, 1784) | 1996 | 7 | 2008 | |
| 7 | Carabidae | <i>Clivina fossor</i> | (Linnaeus, 1758) | 1988 | many | 2019 | |
| 7 | Carabidae | <i>Curtonotus aulicus</i> | (Panzer, 1796) | 1962 | many | 2018 | |
| 7 | Carabidae | <i>Cychrus caraboides</i> | (Linnaeus, 1758) | 1982 | many | 2020 | |
| 7 | Carabidae | <i>Cymindis vaporariorum</i> | (Linnaeus, 1758) | 1980 | 1 | 1980 | NS |
| 7 | Carabidae | <i>Dicheirotrichus gustavii</i> | Crotch, 1871 | 2018 | 2 | 2018 | |
| 7 | Carabidae | <i>Dromius quadrimaculatus</i> | (Linnaeus, 1758) | 2012 | 2 | 2012 | |
| 7 | Carabidae | <i>Dyschirius aeneus</i> | (Dejean, 1825) | 1856 | 2 | 1856 | |
| 7 | Carabidae | <i>Dyschirius globosus</i> | (Herbst, 1784) | 1902 | many | 2019 | |
| 7 | Carabidae | <i>Dyschirius impunctipennis</i> | Dawson, 1854 | 1899 | 2 | 1910 | NS |
| 7 | Carabidae | <i>Dyschirius luedersi</i> | Wagner, 1915 | 1976 | 1 | 1976 | |
| 7 | Carabidae | <i>Dyschirius politus</i> | (Dejean, 1825) | 2018 | 2 | 2018 | NS |
| 7 | Carabidae | <i>Dyschirius thoracicus</i> | (Rossi, 1790) | 1899 | 8 | 2015 | NS |
| 7 | Carabidae | <i>Elaphrus cupreus</i> | Dufts Schmid, 1812 | 1974 | many | 2020 | |
| 7 | Carabidae | <i>Elaphrus riparius</i> | (Linnaeus, 1758) | 1898 | many | 2018 | |
| 7 | Carabidae | <i>Harpalus affinis</i> | (Schrank, 1781) | 1982 | many | 2019 | |
| 7 | Carabidae | <i>Harpalus latus</i> | (Linnaeus, 1758) | 1988 | many | 2020 | |
| 7 | Carabidae | <i>Harpalus neglectus</i> | Audinet-Serville, 1821 | 2018 | 4 | 2019 | NS |
| 7 | Carabidae | <i>Harpalus rubripes</i> | (Dufts Schmid, 1812) | 1990 | 8 | 2019 | |
| 7 | Carabidae | <i>Harpalus rufipes</i> | (De Geer, 1774) | 1904 | many | 2020 | |
| 7 | Carabidae | <i>Harpalus tardus</i> | (Panzer, 1796) | 1990 | 3 | 2018 | |
| 7 | Carabidae | <i>Lebia chlorocephala</i> | (Hoffmann, J., 1803) | 1975 | 1 | 1975 | NS |
| 7 | Carabidae | <i>Leistus ferrugineus</i> | (Linnaeus, 1758) | 1908 | 3 | 2000 | |

| | | | | | | | |
|---|-----------|-----------------------------------|------------------------------|------|------|------|----|
| 7 | Carabidae | <i>Leistus fulvibarbis</i> | Dejean, 1826 | 1974 | many | 2019 | |
| 7 | Carabidae | <i>Leistus rufomarginatus</i> | (Duftschmid, 1812) | 2001 | 5 | 2015 | |
| 7 | Carabidae | <i>Leistus terminatus</i> | (Hellwig in Panzer, 1775) | 1987 | many | 2019 | |
| 7 | Carabidae | <i>Loricera pilicornis</i> | (Fabricius, 1775) | 1974 | many | 2020 | |
| 7 | Carabidae | <i>Nebria brevicollis</i> | (Fabricius, 1792) | 1974 | many | 2020 | |
| 7 | Carabidae | <i>Nebria salina</i> | Fairmaire & Laboulbène, 1854 | 1976 | many | 2018 | |
| 7 | Carabidae | <i>Nebria rufescens</i> | Strom, 1768 | 1969 | many | 2019 | |
| 7 | Carabidae | <i>Notiophilus aesthuans</i> | (Motschulsky, 1864) | 1960 | 3 | 1980 | NS |
| 7 | Carabidae | <i>Notiophilus aquaticus</i> | (Linnaeus, 1758) | 1900 | many | 2019 | |
| 7 | Carabidae | <i>Notiophilus biguttatus</i> | (Fabricius, 1779) | 1977 | many | 2020 | |
| 7 | Carabidae | <i>Notiophilus germinyi</i> | Fauvel, 1863 | 1976 | many | 2016 | |
| 7 | Carabidae | <i>Notiophilus palustris</i> | (Duftschmid, 1812) | 1976 | many | 2018 | |
| 7 | Carabidae | <i>Notiophilus substriatus</i> | Waterhouse, G.R., 1833 | 1899 | many | 2018 | |
| 7 | Carabidae | <i>Ocys harpaloides</i> | (Audinet-Serville, 1821) | 2007 | 7 | 2019 | |
| 7 | Carabidae | <i>Olisthopus rotundatus</i> | (Paykull, 1790) | 1986 | 3 | 2016 | |
| 7 | Carabidae | <i>Paradromius linearis</i> | (Olivier, 1795) | 1908 | many | 2019 | |
| 7 | Carabidae | <i>Paranchus albipes</i> | (Fabricius, 1796) | 1969 | many | 2019 | |
| 7 | Carabidae | <i>Patrobus assimilis</i> | Chaudoir, 1844 | 1988 | 2 | 2000 | |
| 7 | Carabidae | <i>Patrobus atrorufus</i> | (Strom, 1768) | 1988 | many | 2008 | |
| 7 | Carabidae | <i>Philorhizus melanocephalus</i> | (Dejean, 1825) | 2003 | 1 | 2003 | |
| 7 | Carabidae | <i>Philorhizus notatus</i> | (Stephens, 1827) | 1992 | 1 | 1992 | |
| 7 | Carabidae | <i>Platynus assimilis</i> | (Paykull, 1790) | 1990 | many | 2020 | |
| 7 | Carabidae | <i>Poecilus cupreus</i> | (Linnaeus, 1758) | 1986 | 3 | 1986 | |
| 7 | Carabidae | <i>Poecilus versicolor</i> | (Sturm, 1824) | 1988 | many | 2019 | |
| 7 | Carabidae | <i>Pogonus chalceus</i> | (Marsham, 1802) | 1921 | 1 | 1985 | |
| 7 | Carabidae | <i>Pterostichus adstrictus</i> | Eschscholtz, 1823 | 1990 | 2 | 1997 | |
| 7 | Carabidae | <i>Pterostichus aethiops</i> | (Panzer, 1796) | 1960 | 3 | 2016 | NS |
| 7 | Carabidae | <i>Pterostichus diligens</i> | (Sturm, 1824) | 1974 | many | 2019 | |
| 7 | Carabidae | <i>Pterostichus madidus</i> | (Fabricius, 1775) | 1969 | many | 2020 | |
| 7 | Carabidae | <i>Pterostichus melanarius</i> | (Illiger, 1798) | 1988 | many | 2020 | |
| 7 | Carabidae | <i>Pterostichus minor</i> | (Gyllenhal, 1827) | 2012 | 6 | 2018 | |

| | | | | | | | |
|----|---------------|---------------------------------------|------------------------------|------|------|------|----|
| 7 | Carabidae | <i>Pterostichus niger</i> | (Schaller, 1783) | 1969 | many | 2020 | |
| 7 | Carabidae | <i>Pterostichus nigrita</i> | (Paykull, 1790) | 1900 | many | 2018 | |
| 7 | Carabidae | <i>Pterostichus nigrita/rhaeticus</i> | | 2012 | many | 2020 | |
| 7 | Carabidae | <i>Pterostichus oblongopunctatus</i> | (Fabricius, 1787) | 2006 | 1 | 2006 | |
| 7 | Carabidae | <i>Pterostichus rhaeticus</i> | Heer, 1837/8 | 1962 | many | 2019 | |
| 7 | Carabidae | <i>Pterostichus strenuus</i> | (Panzer, 1796) | 1974 | many | 2020 | |
| 7 | Carabidae | <i>Pterostichus vernalis</i> | (Panzer, 1795) | 1988 | many | 2019 | |
| 7 | Carabidae | <i>Stenolophus mixtus</i> | (Herbst, 1784) | 2015 | 4 | 2019 | |
| 7 | Carabidae | <i>Stomis pumicatus</i> | (Panzer, 1795) | 1990 | many | 2008 | |
| 7 | Carabidae | <i>Syntomus foveatus</i> | (Geoffroy in Fourcroy, 1785) | 1901 | many | 2019 | |
| 7 | Carabidae | <i>Synuchus vivalis</i> | (Illiger, 1798) | 1988 | many | 2018 | |
| 7 | Carabidae | <i>Tachyura parvula</i> | (Dejean, 1831) | 2015 | 7 | 2020 | NS |
| 7 | Carabidae | <i>Trechoblemus micros</i> | (Herbst, 1784) | 1910 | many | 2008 | |
| 7 | Carabidae | <i>Trechus fulvus</i> | Dejean, 1831 | 1908 | 1 | 1908 | NS |
| 7 | Carabidae | <i>Trechus obtusus</i> | Erichson, 1837 | 1982 | many | 2018 | |
| 7 | Carabidae | <i>Trechus quadristriatus</i> | (Schrank, 1781) | 1988 | many | 2007 | |
| 7 | Carabidae | <i>Trechus rubens</i> | (Fabricius, 1792) | 1990 | 7 | 2020 | NS |
| 7 | Carabidae | <i>Trichocellus placidus</i> | (Gyllenhal, 1827) | 1990 | 5 | 2018 | |
| 8 | Helophoridae | <i>Helophorus aequalis</i> | Thomson, C.G., 1868 | 1911 | many | 2020 | |
| 8 | Helophoridae | <i>Helophorus arvernicus</i> | Mulsant, 1846 | 1910 | many | 2009 | |
| 8 | Helophoridae | <i>Helophorus brevipalpis</i> | Bedel, 1881 | 1908 | many | 2020 | |
| 8 | Helophoridae | <i>Helophorus flavipes</i> | Fabricius, 1792 | 1972 | many | 2018 | |
| 8 | Helophoridae | <i>Helophorus grandis</i> | Illiger, 1798 | 1974 | many | 2020 | |
| 8 | Helophoridae | <i>Helophorus granularis</i> | (Linnaeus, 1760) | 1962 | 8 | 1987 | NS |
| 8 | Helophoridae | <i>Helophorus griseus</i> | Herbst, 1793 | 1912 | 1 | 1912 | |
| 8 | Helophoridae | <i>Helophorus minutus</i> | Fabricius, 1775 | 1974 | many | 2020 | |
| 8 | Helophoridae | <i>Helophorus nubilus</i> | Fabricius, 1776 | 1979 | 1 | 1979 | NS |
| 8 | Helophoridae | <i>Helophorus obscurus</i> | Mulsant, 1844 | 1962 | many | 2020 | |
| 8 | Helophoridae | <i>Helophorus strigifrons</i> | Thomson, C.G., 1868 | 1974 | many | 2016 | NS |
| 9 | Georissidae | <i>Georissus crenulatus</i> | (Rossi, 1794) | 1996 | 2 | 1996 | NS |
| 12 | Hydrophilidae | <i>Anacaena globulus</i> | (Paykull, 1798) | 1908 | many | 2020 | |

| | | | | | | | |
|----|---------------|--------------------------------|-----------------------|------|------|------|----|
| 12 | Hydrophilidae | <i>Anacaena limbata</i> | (Fabricius, 1792) | 1910 | 1 | 1974 | |
| 12 | Hydrophilidae | <i>Anacaena lutescens</i> | (Stephens, 1829) | 1909 | many | 2020 | |
| 12 | Hydrophilidae | <i>Cercyon analis</i> | (Paykull, 1798) | 1910 | 8 | 2016 | |
| 12 | Hydrophilidae | <i>Cercyon haemorrhoidalis</i> | (Fabricius, 1775) | 1979 | many | 2020 | |
| 12 | Hydrophilidae | <i>Cercyon impressus</i> | (Sturm, 1807) | 1977 | many | 2019 | |
| 12 | Hydrophilidae | <i>Cercyon lateralis</i> | (Marsham, 1802) | 1987 | many | 2020 | |
| 12 | Hydrophilidae | <i>Cercyon littoralis</i> | (Gyllenhal, 1808) | 1895 | many | 2018 | |
| 12 | Hydrophilidae | <i>Cercyon marinus</i> | Thomson, C.G., 1853 | 1986 | 2 | 1991 | |
| 12 | Hydrophilidae | <i>Cercyon melanocephalus</i> | (Linnaeus, 1758) | 1910 | many | 2019 | |
| 12 | Hydrophilidae | <i>Cercyon obsoletus</i> | (Gyllenhal, 1808) | 2018 | 1 | 2018 | |
| 12 | Hydrophilidae | <i>Cercyon pygmaeus</i> | (Illiger, 1801) | 2002 | many | 2013 | |
| 12 | Hydrophilidae | <i>Cercyon quisquilius</i> | (Linnaeus, 1761) | 1910 | 2 | 1987 | |
| 12 | Hydrophilidae | <i>Cercyon terminatus</i> | (Marsham, 1802) | 1910 | 1 | 1910 | |
| 12 | Hydrophilidae | <i>Cercyon unipunctatus</i> | (Linnaeus, 1758) | 2003 | 1 | 2019 | |
| 12 | Hydrophilidae | <i>Cercyon ustulatus</i> | (Preyssler, 1790) | 1962 | 4 | 1990 | |
| 12 | Hydrophilidae | <i>Chaetarthria simillima</i> | Vorst & Cuppen 2003 | 1976 | 2 | 1988 | NS |
| 12 | Hydrophilidae | <i>Coelostoma orbiculare</i> | (Fabricius, 1775) | 1896 | many | 2020 | |
| 12 | Hydrophilidae | <i>Cryptopleurum minutum</i> | (Fabricius, 1775) | 1910 | 2 | 1978 | |
| 12 | Hydrophilidae | <i>Enochrus affinis</i> | (Thunberg, 1794) | 1911 | many | 2020 | |
| 12 | Hydrophilidae | <i>Enochrus coarctatus</i> | (Gredler, 1863) | 1974 | many | 2020 | |
| 12 | Hydrophilidae | <i>Enochrus fuscipennis</i> | (Thomson, C.G., 1884) | 1910 | many | 2018 | |
| 12 | Hydrophilidae | <i>Enochrus melanocephalus</i> | (Olivier, 1792) | 1898 | 2 | 1898 | |
| 12 | Hydrophilidae | <i>Enochrus ochropterus</i> | (Marsham, 1802) | 1975 | 3 | 2016 | |
| 12 | Hydrophilidae | <i>Enochrus testaceus</i> | (Fabricius, 1801) | 2019 | 2 | 2019 | |
| 12 | Hydrophilidae | <i>Hydrobius fuscipes</i> | (Linnaeus, 1758) | 1908 | many | 2020 | |
| 12 | Hydrophilidae | <i>Laccobius atratus</i> | (Rottenburg, 1874) | 1977 | 1 | 1977 | NS |
| 12 | Hydrophilidae | <i>Laccobius bipunctatus</i> | (Fabricius, 1775) | 1910 | many | 2020 | |
| 12 | Hydrophilidae | <i>Laccobius colon</i> | (Stephens, 1829) | 1910 | many | 2007 | |
| 12 | Hydrophilidae | <i>Laccobius minutus</i> | (Linnaeus, 1758) | 1911 | many | 2020 | |
| 12 | Hydrophilidae | <i>Laccobius striatulus</i> | (Fabricius, 1801) | 1911 | many | 2020 | |
| 12 | Hydrophilidae | <i>Laccobius ytenensis</i> | Sharp, 1910 | 1910 | many | 2020 | |

| | | | | | | | |
|----|---------------|---------------------------|------------------------|------|------|------|------------|
| 12 | Hydrophilidae | Megasternum concinnum | (Marsham, 1802) | 2016 | 5 | 2018 | |
| 12 | Hydrophilidae | Megasternum immaculatum | (Stephens, 1829) | 2016 | 1 | 2016 | |
| 12 | Hydrophilidae | Sphaeridium lunatum | Fabricius, 1792 | 1978 | many | 2019 | |
| 12 | Hydrophilidae | Sphaeridium marginatum | Fabricius, 1787 | 1950 | 1 | 1950 | |
| 12 | Hydrophilidae | Sphaeridium scarabaeoides | (Linnaeus, 1758) | 1894 | many | 2019 | |
| 13 | Sphaeritidae | Sphaerites glabratus | (Fabricius, 1792) | 2006 | 1 | 2006 | NR |
| 14 | Histeridae | Gnathoncus rotundatus | (Kugelann, 1792) | 1972 | 2 | 1976 | |
| 14 | Histeridae | Hister unicolor | Linnaeus, 1758 | 2011 | 1 | 2011 | |
| 14 | Histeridae | Hypocaccus dimidiatus | (Illiger, 1807) | 1954 | many | 1986 | NS |
| 14 | Histeridae | Hypocaccus rugiceps | (Duftschmid, 1805) | 1850 | many | 2019 | NS |
| 14 | Histeridae | Margarinotus brunneus | (Fabricius, 1775) | 1901 | 2 | 1901 | |
| 14 | Histeridae | Margarinotus merdarius | (Hoffmann, J., 1803) | 2006 | 1 | 2006 | |
| 14 | Histeridae | Margarinotus neglectus | (Germar, 1813) | 2003 | 3 | 2019 | |
| 14 | Histeridae | Margarinotus purpurescens | (Herbst, 1791) | 1856 | 1 | 1856 | |
| 14 | Histeridae | Margarinotus striola | (Sahlberg, C.R., 1819) | 1895 | 2 | 1896 | |
| 14 | Histeridae | Margarinotus ventralis | (Marseul, 1854) | 1856 | 1 | 1856 | |
| 14 | Histeridae | Saprinus aeneus | (Fabricius, 1775) | 1881 | 7 | 1936 | NS |
| 14 | Histeridae | Saprinus immundus | (Gyllenhal, 1827) | 1874 | 1 | 1874 | RDB VU, NR |
| 14 | Histeridae | Saprinus semistriatus | (Scriba, 1790) | 2019 | 10 | 2019 | |
| 15 | Hydraenidae | Hydraena britteni | Joy, 1907 | 1908 | many | 2020 | |
| 15 | Hydraenidae | Hydraena gracilis | Germar, 1824 | 1911 | many | 2014 | |
| 15 | Hydraenidae | Hydraena nigrita | Germar, 1824 | 1895 | many | 2020 | |
| 15 | Hydraenidae | Hydraena pulchella | Germar, 1824 | 1976 | 5 | 1990 | RDB VU, NR |
| 15 | Hydraenidae | Hydraena riparia | Kugelann, 1794 | 1908 | many | 2020 | |
| 15 | Hydraenidae | Hydraena rufipes | Curtis, 1830 | 1976 | 6 | 1990 | NS |
| 15 | Hydraenidae | Hydraena testacea | Curtis, 1830 | 1984 | 1 | 1984 | |
| 15 | Hydraenidae | Limnebius nitidus | (Marsham, 1802) | 1983 | 8 | 1990 | |
| 15 | Hydraenidae | Limnebius truncatellus | (Thunberg, 1794) | 1908 | many | 2020 | |
| 15 | Hydraenidae | Ochthebius bicolon | Germar, 1824 | 1911 | many | 2011 | |
| 15 | Hydraenidae | Ochthebius dilatatus | Stephens, 1829 | 1911 | many | 1990 | |
| 15 | Hydraenidae | Ochthebius lejolisii | Mulsant & Rey, 1861 | 1911 | many | 2002 | NS |

| | | | | | | | |
|----|-------------|--------------------------|--------------------------|------|------|------|---------|
| 15 | Hydraenidae | Ochthebius marinus | (Paykull, 1798) | 1978 | 2 | 1978 | |
| 16 | Ptiliidae | Acrotrichis atomaria | (De Geer, 1774) | 1986 | 1 | 1986 | |
| 16 | Ptiliidae | Acrotrichis fascicularis | Herbst, 1793 | 1986 | 1 | 1986 | |
| 16 | Ptiliidae | Acrotrichis grandicollis | (Mannerheim, 1844) | 1910 | 2 | 1910 | |
| 16 | Ptiliidae | Acrotrichis intermedia | (Gilmeister, 1845) | 1910 | 1 | 1910 | |
| 16 | Ptiliidae | Acrotrichis thoracica | (Waltl, 1838) | 2007 | 1 | 2007 | |
| 16 | Ptiliidae | Actinopteryx fucicola | (Allibert, 1844) | 2003 | 1 | 2003 | RDBK |
| 16 | Ptiliidae | Euryptilium saxonicum | (Gillmeister, 1845) | 2007 | 1 | 2007 | Notable |
| 16 | Ptiliidae | Ptenidium laevigatum | Erichson, 1845 | 2007 | 1 | 2007 | |
| 16 | Ptiliidae | Ptenidium nitidum | (Heer, 1841) | 2007 | 1 | 2007 | |
| 16 | Ptiliidae | Ptenidium punctatum | (Gyllenhal, 1827) | 1961 | 9 | 2003 | |
| 16 | Ptiliidae | Ptenidium pusillum | (Gyllenhal, 1808) | 2003 | 6 | 2007 | |
| 16 | Ptiliidae | Ptiliolum spencei | (Allibert, 1844) | 1910 | 1 | 1910 | |
| 16 | Ptiliidae | Ptinella aptera | (Guérin-Méneville, 1839) | 1991 | 1 | 1991 | |
| 16 | Ptiliidae | Ptinella cavelli | (Broun, 1893) | 2007 | 11 | 2007 | |
| 16 | Ptiliidae | Ptinella denticollis | (Fairmaire, 1858) | 1987 | 1 | 1987 | Notable |
| 16 | Ptiliidae | Ptinella errabunda | Johnson, 1975 | 2007 | 4 | 2007 | |
| 17 | Leiodidae | Agathidium arcticum | Thomson, C.G., 1862 | 2012 | 1 | 2012 | RDBK |
| 17 | Leiodidae | Agathidium atrum | (Paykull, 1798) | 2013 | 5 | 2016 | |
| 17 | Leiodidae | Agathidium laevigatum | Erichson, 1845 | 1977 | 5 | 2019 | |
| 17 | Leiodidae | Agathidium nigrinum | Sturm, 1807 | 2012 | 6 | 2018 | |
| 17 | Leiodidae | Agathidium nigripenne | (Fabricius, 1792) | 2007 | 4 | 2016 | |
| 17 | Leiodidae | Anisotoma castanea | (Herbst, 1792) | 2014 | 3 | 2014 | |
| 17 | Leiodidae | Anisotoma humeralis | (Fabricius, 1792) | 2007 | many | 2018 | |
| 17 | Leiodidae | Anisotoma orbicularis | (Herbst, 1792) | 1961 | 4 | 1966 | |
| 17 | Leiodidae | Catops chrysomeloides | (Panzer, 1798) | 1976 | 2 | 2011 | |
| 17 | Leiodidae | Catops fuscus | (Panzer, 1794) | 2014 | 2 | 2019 | |
| 17 | Leiodidae | Catops grandicollis | Erichson, 1837 | 2014 | 2 | 2016 | |
| 17 | Leiodidae | Catops longulus | Kellner, 1846 | 2019 | 1 | 2019 | Notable |
| 17 | Leiodidae | Catops nigricans | (Spence, 1813) | 1974 | 7 | 2016 | |
| 17 | Leiodidae | Catops nigrita | Erichson, 1837 | 1954 | 3 | 2003 | |

| | | | | | | | |
|----|-----------|---------------------------|-------------------------|------|------|------|---------|
| 17 | Leiodidae | Catops tristis | (Panzer, 1793) | 1974 | 10 | 2019 | |
| 17 | Leiodidae | Choleva agilis sens. lat. | (Illiger, 1798) | 2015 | 3 | 2018 | |
| 17 | Leiodidae | Choleva agilis sens. str. | (Illiger, 1798) | 1980 | 1 | 1980 | |
| 17 | Leiodidae | Choleva glauca | Britten, 1918 | 1996 | 2 | 1996 | Notable |
| 17 | Leiodidae | Choleva spadicea | (Sturm, 1839) | 1959 | 5 | 2004 | |
| 17 | Leiodidae | Colon latum | Kraatz, 1850 | 1971 | 1 | 1971 | |
| 17 | Leiodidae | Hydnobius punctatus | (Sturm, 1807) | 1965 | 1 | 1965 | Notable |
| 17 | Leiodidae | Leiodes calcarata | (Erichson, 1845) | 1921 | 4 | 2014 | |
| 17 | Leiodidae | Leiodes cinnamomea | (Panzer, 1793) | 1920 | 1 | 1920 | Notable |
| 17 | Leiodidae | Leiodes ferruginea | (Fabricius, 1787) | 1908 | 5 | 2014 | |
| 17 | Leiodidae | Leiodes litura | Stephens, 1832 | 1962 | 1 | 1962 | |
| 17 | Leiodidae | Leiodes nigrita | (Schmidt, W.L.E., 1841) | 2011 | 1 | 2011 | RDBK |
| 17 | Leiodidae | Leiodes obesa | (Schmidt, W.L.E., 1841) | 1990 | 3 | 1997 | |
| 17 | Leiodidae | Leiodes rufipennis | (Paykull, 1798) | 1990 | 1 | 1990 | |
| 17 | Leiodidae | Leiodes rugosa | Stephens, 1829 | 2018 | 1 | 2018 | Notable |
| 17 | Leiodidae | Leptinus testaceus | Müller, P.W.J., 1817 | 1966 | 1 | 1966 | |
| 17 | Leiodidae | Nargus velox | (Spence, 1813) | 2014 | 5 | 2020 | |
| 17 | Leiodidae | Nargus wilkinii | (Spence, 1813) | 1979 | 4 | 2020 | |
| 17 | Leiodidae | Ptomaphagus medius | Rey, 1889 | 1958 | 1 | 1958 | |
| 17 | Leiodidae | Ptomaphagus subvillosus | (Goeze, 1777) | 1995 | 6 | 2020 | |
| 17 | Leiodidae | Sciodrepoides fumatus | (Spence, 1813) | 1910 | 2 | 2016 | |
| 17 | Leiodidae | Sciodrepoides watsoni | (Spence, 1813) | 1972 | many | 2016 | |
| 18 | Silphidae | Aclypea opaca | (Linnaeus, 1758) | 2007 | 4 | 2016 | NS |
| 18 | Silphidae | Necrodes littoralis | (Linnaeus, 1758) | 1920 | 5 | 2019 | |
| 18 | Silphidae | Nicrophorus humator | (Gleditsch, 1767) | 1970 | many | 2020 | |
| 18 | Silphidae | Nicrophorus interruptus | Stephens, 1830 | 1988 | 1 | 1988 | NS |
| 18 | Silphidae | Nicrophorus investigator | Zetterstedt, 1824 | 1970 | many | 2019 | |
| 18 | Silphidae | Nicrophorus vespillo | (Linnaeus, 1758) | 1961 | 10 | 2019 | |
| 18 | Silphidae | Nicrophorus vespilloides | Herbst, 1783 | 1970 | many | 2019 | |
| 18 | Silphidae | Oiceoptoma thoracicum | (Linnaeus, 1758) | 1925 | many | 2020 | |
| 18 | Silphidae | Phosphuga atrata | Linnaeus, 1758 | 1976 | many | 2019 | |

| | | | | | | | |
|----|---------------|--------------------------------|-------------------------------|------|------|------|---------|
| 18 | Silphidae | <i>Silpha tristis</i> | Illiger, 1798 | 1856 | 2 | 1978 | |
| 18 | Silphidae | <i>Thanatophilus dispar</i> | (Herbst, 1793) | 1856 | 1 | 1856 | |
| 18 | Silphidae | <i>Thanatophilus rugosus</i> | (Linnaeus, 1758) | 1900 | many | 2019 | |
| 19 | Staphylinidae | <i>Acidota crenata</i> | (Fabricius, 1792) | 1970 | 3 | 2020 | |
| 19 | Staphylinidae | <i>Acronota muscorum</i> | (Brisout de Barneville, 1860) | 2003 | 1 | 2003 | |
| 19 | Staphylinidae | <i>Acrotona muscorum</i> | (Brisout, 1860) | 2003 | 1 | 2003 | |
| 19 | Staphylinidae | <i>Alaobia sodalis</i> | (Erichson, 1837) | 1910 | 1 | 1910 | |
| 19 | Staphylinidae | <i>Aleochara bipustulata</i> | (Linnaeus, 1761) | 1910 | 10 | 2003 | |
| 19 | Staphylinidae | <i>Aleochara curtula</i> | (Goeze, 1777) | 2019 | 1 | 2019 | |
| 19 | Staphylinidae | <i>Aleochara grisea</i> | Kraatz, 1856 | 1986 | 4 | 2003 | |
| 19 | Staphylinidae | <i>Aleochara lanuginosa</i> | Gravenhorst, 1802 | 2012 | 1 | 2012 | |
| 19 | Staphylinidae | <i>Aleochara obscurella</i> | Gravenhorst, 1806 | 1970 | 2 | 1987 | |
| 19 | Staphylinidae | <i>Aleochara punctatella</i> | Motschulsky, 1858 | 1910 | Many | 2003 | |
| 19 | Staphylinidae | <i>Aleochara ruficornis</i> | Gravenhorst, 1802 | 1860 | 9 | 2019 | Notable |
| 19 | Staphylinidae | <i>Aleochara verna</i> | Say, 1836 | 2018 | 1 | 2018 | RDBK |
| 19 | Staphylinidae | <i>Aloconota cambrica</i> | (Wollaston, 1855) | 1996 | 1 | 1996 | |
| 19 | Staphylinidae | <i>Aloconota gregaria</i> | (Erichson, 1839) | 1995 | 5 | 2003 | |
| 19 | Staphylinidae | <i>Amidobia talpa</i> | (Heer, 1841) | 1962 | 1 | 1962 | Notable |
| 19 | Staphylinidae | <i>Amischa analis</i> | (Gravenhorst, 1802) | 1962 | 2 | 2003 | |
| 19 | Staphylinidae | <i>Amischa bifoveolata</i> | (Mannerheim, 1830) | 2011 | 1 | 2011 | |
| 19 | Staphylinidae | <i>Amischa nigrofusca</i> | (Stephens, 1992) | 1996 | 1 | 1996 | |
| 19 | Staphylinidae | <i>Anopleta corvina</i> | (Thomson, C.G., 1856) | 1970 | 1 | 1970 | |
| 19 | Staphylinidae | <i>Anotylus complanatus</i> | (Erichson, 1839) | 1977 | 1 | 1977 | |
| 19 | Staphylinidae | <i>Anotylus inustus</i> | (Gravenhorst, 1806) | 1991 | 2 | 1991 | |
| 19 | Staphylinidae | <i>Anotylus maritimus</i> | Thomson, C.G., 1861 | 1955 | many | 2003 | |
| 19 | Staphylinidae | <i>Anotylus rugosus</i> | (Fabricius, 1775) | 1986 | many | 2020 | |
| 19 | Staphylinidae | <i>Anotylus sculpturatus</i> | (Gravenhorst, 1806) | 1977 | many | 2020 | |
| 19 | Staphylinidae | <i>Anotylus tetracarınatus</i> | (Block, 1799) | 2003 | 7 | 2018 | |
| 19 | Staphylinidae | <i>Anthobium atrocephalum</i> | (Gyllenhal, 1827) | 1991 | 9 | 2020 | |
| 19 | Staphylinidae | <i>Anthobium unicolor</i> | (Marsham, 1802) | 1910 | 10 | 2016 | |
| 19 | Staphylinidae | <i>Anthophagus caraboides</i> | (Linnaeus, 1758) | 2006 | 7 | 2018 | |

| | | | | | | |
|----|---------------|---------------------------------------|-----------------------|------|------|------|
| 19 | Staphylinidae | <i>Astenus lyonessius</i> | (Joy, 1908) | 1964 | 1 | 1964 |
| 19 | Staphylinidae | <i>Atheta (Dalotia) celata</i> | Erichson, 1837 | 1910 | 2 | 1989 |
| 19 | Staphylinidae | <i>Atheta (Diglotta) atramentaria</i> | (Gyllenhal, 1810) | 1989 | 2 | 2003 |
| 19 | Staphylinidae | <i>Atheta (Microdota) amicula</i> | (Stephens, 1832) | 1910 | 7 | 2011 |
| 19 | Staphylinidae | <i>Atheta (Microdota) atricolor</i> | (Sharp, 1969) | 1910 | 1 | 1910 |
| 19 | Staphylinidae | <i>Atheta (Microdota) indubia</i> | (Sharp, 1869) | 1989 | 1 | 1989 |
| 19 | Staphylinidae | <i>Atheta (Mocyta) amplicollis</i> | (Mulsant & Rey, 1873) | 1995 | 1 | 1995 |
| 19 | Staphylinidae | <i>Atheta (Mocyta) fungi</i> | (Gravenhorst, 1806) | 1910 | 10 | 2011 |
| 19 | Staphylinidae | <i>Atheta (Mocyta) orbata</i> | (Erichson, 1837) | 1995 | 2 | 1999 |
| 19 | Staphylinidae | <i>Atheta (Philhygra) elongatula</i> | (Gravenhorst, 1802) | 1910 | 3 | 2003 |
| 19 | Staphylinidae | <i>Atheta (Philhygra) hygrotopora</i> | (Kraaz, 1856) | 1910 | 1 | 1910 |
| 19 | Staphylinidae | <i>Atheta (Philhygra) malleus</i> | (Joy, 1913) | 1996 | 1 | 1996 |
| 19 | Staphylinidae | <i>Atheta (Philhygra) volans</i> | (Scriba, 1859) | 1910 | 2 | 1911 |
| 19 | Staphylinidae | <i>Atheta aquatica</i> | (Thomson, C.G., 1852) | 1989 | 1 | 1989 |
| 19 | Staphylinidae | <i>Atheta brunneipennis</i> | (Thomson, C.G., 1852) | 1995 | 2 | 1995 |
| 19 | Staphylinidae | <i>Atheta castanoptera</i> | (Mannerheim, 1830) | 1995 | 2 | 1995 |
| 19 | Staphylinidae | <i>Atheta divisa</i> | (Markel, 1844) | 2003 | 1 | 2003 |
| 19 | Staphylinidae | <i>Atheta divisa</i> | (Märkel, 1844) | 2003 | 1 | 2003 |
| 19 | Staphylinidae | <i>Atheta graminicola</i> | (Gravenhorst, 1806) | 1995 | 1 | 1995 |
| 19 | Staphylinidae | <i>Atheta heymesii</i> | Hubenthal, 1913 | 1990 | 2 | 1999 |
| 19 | Staphylinidae | <i>Atheta hypnorum</i> | (Kiesenwetter, 1850) | 1995 | 2 | 1995 |
| 19 | Staphylinidae | <i>Atheta longicornis</i> | (Gravenhorst, 1802) | 1910 | 1 | 1910 |
| 19 | Staphylinidae | <i>Atheta triangulum</i> | (Kraatz, 1856) | 2003 | 1 | 2003 |
| 19 | Staphylinidae | <i>Atrecus affinis</i> | (Paykull, 1789) | 1910 | 9 | 2019 |
| 19 | Staphylinidae | <i>Autalia impressa</i> | (Olivier, 1795) | 1995 | 1 | 1995 |
| 19 | Staphylinidae | <i>Autalia longicornis</i> | Scheerpeltz, 1947 | 1995 | 1 | 1995 |
| 19 | Staphylinidae | <i>Bibloporus bicolor</i> | (Denny, 1825) | 2007 | 2 | 2007 |
| 19 | Staphylinidae | <i>Bisnius cephalotes</i> | Gravenhorst, 1802) | 1910 | 1 | 1910 |
| 19 | Staphylinidae | <i>Bisnius fimetarius</i> | (Gravenhorst, 1802) | 1910 | many | 2020 |
| 19 | Staphylinidae | <i>Bisnius puella</i> | (Nordmann, 1837) | 1964 | 4 | 2018 |
| 19 | Staphylinidae | <i>Bisnius sordidus</i> | (Gravenhorst, 1802) | 1910 | 1 | 1910 |

| | | | | | | | |
|----|---------------|--------------------------------|---------------------|------|------|------|---------|
| 19 | Staphylinidae | <i>Bisnius subuliformis</i> | (Gravenhorst, 1802) | 1961 | 4 | 1980 | |
| 19 | Staphylinidae | <i>Bledius annae</i> | Sharp, 1911 | 1997 | 1 | 1997 | |
| 19 | Staphylinidae | <i>Bledius fergussoni</i> | Joy, 1912 | 1910 | 2 | 2003 | |
| 19 | Staphylinidae | <i>Bledius longulus</i> | Erichson, 1839 | 2020 | 1 | 2020 | |
| 19 | Staphylinidae | <i>Bledius opacus</i> | (Block, 1799) | 2012 | 4 | 2020 | |
| 19 | Staphylinidae | <i>Bledius subterraneus</i> | Erichson, 1839 | 1960 | 1 | 1960 | |
| 19 | Staphylinidae | <i>Bolitobius castaneus</i> | (Stephens, 1832) | 1900 | 3 | 2003 | |
| 19 | Staphylinidae | <i>Bolitobius cingulatus</i> | (Mannerheim, 1830) | 1976 | 2 | 2016 | |
| 19 | Staphylinidae | <i>Bolitochara lucida</i> | (Gravenhorst, 1802) | 1987 | 1 | 1987 | |
| 19 | Staphylinidae | <i>Bolitochara obliqua</i> | Erichson, 1837 | 1987 | 1 | 1987 | |
| 19 | Staphylinidae | <i>Bolitochara pulchra</i> | (Gravenhorst, 1806) | 1958 | 2 | 1987 | Notable |
| 19 | Staphylinidae | <i>Bryaxis bulbifer</i> | (Reichenbach, 1816) | 2013 | 2 | 2013 | |
| 19 | Staphylinidae | <i>Bryaxis curtisii</i> | (Leach, 1817) | 1910 | 6 | 2007 | |
| 19 | Staphylinidae | <i>Bryaxis puncticollis</i> | (Denny, 1825) | 1922 | 7 | 1991 | |
| 19 | Staphylinidae | <i>Bythinus burrellii</i> | Denny, 1825 | 1958 | 2 | 1987 | |
| 19 | Staphylinidae | <i>Cafius fucicola</i> | Curtis, 1830 | 1958 | 1 | 1958 | |
| 19 | Staphylinidae | <i>Cafius xantholoma</i> | (Gravenhorst, 1806) | 1910 | many | 2014 | |
| 19 | Staphylinidae | <i>Callicerus obscurus</i> | Gravenhorst, 1802 | 1996 | 1 | 1996 | |
| 19 | Staphylinidae | <i>Callicerus rigidicornis</i> | (Erichson, 1839) | 1996 | 1 | 1996 | |
| 19 | Staphylinidae | <i>Carpelimus bilineatus</i> | Stephens, 1834 | 1991 | 1 | 1991 | |
| 19 | Staphylinidae | <i>Carpelimus gracilis</i> | (Mannerheim, 1830) | 1961 | 1 | 1961 | |
| 19 | Staphylinidae | <i>Carpelimus manchuricus</i> | (Bernhauer, 1938) | 2003 | 1 | 2003 | |
| 19 | Staphylinidae | <i>Coprophilus striatulus</i> | (Fabricius, 1793) | 1962 | 1 | 1962 | |
| 19 | Staphylinidae | <i>Cordalia obscura</i> | (Gravenhorst, 1802) | 1965 | 1 | 1965 | |
| 19 | Staphylinidae | <i>Coryphium angusticolle</i> | Stephens, 1834 | 1910 | 1 | 1910 | |
| 19 | Staphylinidae | <i>Coryphium angusticolle</i> | Stephens, 1834 | 1966 | 1 | 1966 | |
| 19 | Staphylinidae | <i>Creophilus maxillosus</i> | (Linnaeus, 1758) | 1911 | 7 | 2015 | |
| 19 | Staphylinidae | <i>Cypha laeviuscula</i> | (Mannerheim, 1830) | 1966 | 2 | 1974 | |
| 19 | Staphylinidae | <i>Cypha longicornis</i> | (Paykull, 1800) | 1916 | 3 | 1978 | |
| 19 | Staphylinidae | <i>Cypha seminulum</i> | (Erichson, 1839) | 1974 | 1 | 1974 | |
| 19 | Staphylinidae | <i>Dadobia imersa</i> | (Erichson, 1837) | 1965 | 1 | 1965 | |

| | | | | | | | |
|----|---------------|---------------------------------|----------------------|------|------|------|----|
| 19 | Staphylinidae | <i>Dalotia coriaria</i> | (Kraanz, 1856) | 1910 | 1 | 1910 | |
| 19 | Staphylinidae | <i>Datomicra celata</i> | (Erichson, 1837) | 1989 | 1 | 1989 | |
| 19 | Staphylinidae | <i>Deleaster dichrous</i> | (Gravenhorst, 1802) | 1997 | 5 | 2020 | Nb |
| 19 | Staphylinidae | <i>Diglotta mersa</i> | (Haliday, 1837) | 2003 | 1 | 2003 | |
| 19 | Staphylinidae | <i>Dimetrota atramentaria</i> | (Gyllenhal, 1810) | 1989 | 2 | 2003 | |
| 19 | Staphylinidae | <i>Dinaraea aequata</i> | (Erichson, 1837) | 2012 | 1 | 2012 | |
| 19 | Staphylinidae | <i>Dropephylla ioptera</i> | (Stephens, 1832) | 2014 | 5 | 2015 | |
| 19 | Staphylinidae | <i>Dropephylla vilis</i> | (Erichson, 1840) | 1910 | 1 | 1910 | |
| 19 | Staphylinidae | <i>Drusilla canaliculata</i> | (Fabricius, 1787) | 1962 | many | 2019 | |
| 19 | Staphylinidae | <i>Encephalus complicans</i> | Stephens, 1832 | 1958 | 3 | 1974 | |
| 19 | Staphylinidae | <i>Erichsonius cinerascens</i> | (Gravenhorst, 1802) | 2018 | 1 | 2018 | |
| 19 | Staphylinidae | <i>Euaesthetus bipunctatus</i> | (Ljungh, 1804) | 1958 | 2 | 1965 | |
| 19 | Staphylinidae | <i>Euaesthetus ruficapillus</i> | Lacordaire, 1835 | 1986 | 1 | 1986 | |
| 19 | Staphylinidae | <i>Euplectus signatus</i> | (Reichenbach, 1816) | 1965 | 1 | 1965 | |
| 19 | Staphylinidae | <i>Eusphalerum minutum</i> | (Fabricius, 1792) | 2015 | 1 | 2015 | |
| 19 | Staphylinidae | <i>Eusphalerum primulae</i> | (Stephens, 1834) | 2014 | 2 | 2015 | |
| 19 | Staphylinidae | <i>Eusphalerum sorbi</i> | (Gyllenhal, 1810) | 2014 | 3 | 2018 | |
| 19 | Staphylinidae | <i>Eusphalerum torquatum</i> | (Marsham, 1802) | 2014 | 2 | 2019 | |
| 19 | Staphylinidae | <i>Falagrioma thoracica</i> | (Stephens, 1832) | 1976 | 2 | 1976 | |
| 19 | Staphylinidae | <i>Gabrius appendiculatus</i> | Sharp, 1910 | 1997 | 3 | 2018 | |
| 19 | Staphylinidae | <i>Gabrius bishopi</i> | Sharp, 1910 | 2018 | 3 | 2020 | Nb |
| 19 | Staphylinidae | <i>Gabrius osseticus</i> | (Kolenati, 1846) | 1959 | many | 2018 | Nb |
| 19 | Staphylinidae | <i>Gabrius splendidulus</i> | (Gravenhorst, 1802) | 2015 | 1 | 2015 | |
| 19 | Staphylinidae | <i>Gabrius trossulus</i> | (Nordmann, 1837) | 2020 | 1 | 2020 | |
| 19 | Staphylinidae | <i>Gauropterus fulgidus</i> | (Fabricius, 1787) | 1961 | 2 | 1966 | |
| 19 | Staphylinidae | <i>Geostiba circellaris</i> | (Gravenhorst, 1806) | 1989 | 1 | 1989 | |
| 19 | Staphylinidae | <i>Gnypeta carbonaria</i> | (Mannerheim, 1830) | 1911 | 1 | 1911 | |
| 19 | Staphylinidae | <i>Gyrohypnus angustatus</i> | Stephens, 1833 | 1954 | 6 | 2020 | |
| 19 | Staphylinidae | <i>Gyrohypnus fracticornis</i> | (Müller, O.F., 1776) | 2003 | 4 | 2018 | |
| 19 | Staphylinidae | <i>Gyrophaena bihamata</i> | Thomson, C.G., 1867 | 2003 | 1 | 2003 | |
| 19 | Staphylinidae | <i>Gyrophaena fasciata</i> | (Marsham, 1802) | 1987 | 1 | 1987 | |

| | | | | | | | |
|----|---------------|-----------------------------------|-----------------------|------|------|------|---------|
| 19 | Staphylinidae | <i>Gyrophaena gentilis</i> | Erichson, 1839 | 1987 | 2 | 2003 | |
| 19 | Staphylinidae | <i>Gyrophaena manca</i> | Erichson, 1839 | 2003 | 1 | 2003 | |
| 19 | Staphylinidae | <i>Gyrophaena nana</i> | (Paykull, 1800) | 1987 | 1 | 1987 | |
| 19 | Staphylinidae | <i>Habrocerus capillaricornis</i> | (Gravenhorst, 1806) | 2014 | 1 | 2014 | |
| 19 | Staphylinidae | <i>Halobrecta algae</i> | (Hardy, 1851) | 1910 | 2 | 2003 | |
| 19 | Staphylinidae | <i>Halobrecta flavipes</i> | (Thomson, C.G., 1861) | 1910 | 1 | 1910 | |
| 19 | Staphylinidae | <i>Hapalareae pygmaea</i> | (Paykull, 1800) | 1959 | 4 | 1966 | |
| 19 | Staphylinidae | <i>Haploglossa villulosa</i> | (Stephens, 1832) | 1957 | 1 | 1957 | |
| 19 | Staphylinidae | <i>Heterothops binotatus</i> | (Gravenhorst, 1802) | 1975 | 2 | 1983 | |
| 19 | Staphylinidae | <i>Heterothops binotatus</i> | (Gravenhorst, 1802) | 1983 | 1 | 1983 | |
| 19 | Staphylinidae | <i>Holobus flavicornis</i> | (Lacordaire, 1835) | 1987 | 1 | 1987 | Notable |
| 19 | Staphylinidae | <i>Homalota plana</i> | (Gyllenhal, 1810) | 1959 | 1 | 1959 | |
| 19 | Staphylinidae | <i>Hygronoma dimidiata</i> | (Gravenhorst, 1806) | 2017 | 2 | 2018 | |
| 19 | Staphylinidae | <i>Ilyobates bennetti</i> | Donisthorpe, 1914 | 1996 | 1 | 1996 | |
| 19 | Staphylinidae | <i>Ilyobates nigricollis</i> | (Paykull, 1800) | 1959 | 3 | 1966 | RDBK |
| 19 | Staphylinidae | <i>Ischnosoma splendidum</i> | (Gravenhorst, 1806) | 1894 | 4 | 2016 | |
| 19 | Staphylinidae | <i>Lathrobium brunnipes</i> | (Fabricius, 1793) | 1995 | 10 | 2019 | |
| 19 | Staphylinidae | <i>Lathrobium elongatum</i> | (Linnaeus, 1767) | 2015 | 1 | 2015 | |
| 19 | Staphylinidae | <i>Lathrobium fulvipenne</i> | (Gravenhorst, 1806) | 1989 | 4 | 2014 | |
| 19 | Staphylinidae | <i>Lathrobium geminum</i> | Kraatz, 1857 | 2019 | 2 | 2019 | |
| 19 | Staphylinidae | <i>Lathrobium terminatum</i> | Gravenhorst, 1802 | 2015 | 1 | 2015 | |
| 19 | Staphylinidae | <i>Leptacinus batychrus</i> | (Gyllenhal, 1827) | 1966 | 1 | 1966 | |
| 19 | Staphylinidae | <i>Leptacinus pusillus</i> | (Stephens, 1833) | 1910 | 1 | 1910 | |
| 19 | Staphylinidae | <i>Leptusa fumida</i> | (Erichson, 1839) | 1995 | 1 | 1995 | |
| 19 | Staphylinidae | <i>Leptusa pulchella</i> | (Mannerheim, 1830) | 1995 | 2 | 2003 | |
| 19 | Staphylinidae | <i>Leptusa ruficollis</i> | (Erichson, 1839) | 1958 | 2 | 2010 | |
| 19 | Staphylinidae | <i>Lesteva longoelytrata</i> | (Goeze, 1777) | 1910 | many | 2020 | |
| 19 | Staphylinidae | <i>Lesteva punctata</i> | Erichson, 1839 | 2016 | 1 | 2016 | |
| 19 | Staphylinidae | <i>Lesteva sicula</i> | Erichson, 1840 | 1991 | 8 | 2015 | |
| 19 | Staphylinidae | <i>Liogluta granigera</i> | (Kiesenwetter, 1850) | 1995 | 1 | 1995 | |
| 19 | Staphylinidae | <i>Liogluta longiuscula</i> | (Gravenhorst, 1802) | 1910 | 1 | 1910 | |

| | | | | | | | |
|----|---------------|-----------------------------------|--------------------------------|------|---|------|---------|
| 19 | Staphylinidae | <i>Lithocharis ochracea</i> | (Gravenhorst, 1802) | 1910 | 1 | 1910 | |
| 19 | Staphylinidae | <i>Lordithon exoletus</i> | (Erichson, 1839) | 1964 | 1 | 1964 | |
| 19 | Staphylinidae | <i>Lordithon lunulatus</i> | (Linnaeus, 1761) | 1901 | 3 | 2014 | |
| 19 | Staphylinidae | <i>Lordithon thoracicus</i> | (Fabricius, 1777) | 2013 | 3 | 2014 | |
| 19 | Staphylinidae | <i>Lordithon trinotatus</i> | (Erichson, 1839) | 2013 | 6 | 2018 | |
| 19 | Staphylinidae | <i>Megalinus glabratus</i> | (Gravenhorst, 1802) | 1989 | 4 | 2018 | |
| 19 | Staphylinidae | <i>Megarathrus bellevoeyi</i> | (Saulcy, 1862) | 1910 | 1 | 1910 | |
| 19 | Staphylinidae | <i>Megarathrus denticollis</i> | (Beck, 1817) | 1910 | 3 | 2019 | |
| 19 | Staphylinidae | <i>Megarathrus depressus</i> | (Paykull, 1789) | 1910 | 6 | 2018 | |
| 19 | Staphylinidae | <i>Megarathrus prosseni</i> | Schatzmayr, 1904 | 2014 | 2 | 2014 | |
| 19 | Staphylinidae | <i>Micralymma marinum</i> | (Strom, 1768) | 1911 | 1 | 1911 | |
| 19 | Staphylinidae | <i>Micropeplus fulvus</i> | Erichson, 1840 | 1974 | 5 | 2015 | |
| 19 | Staphylinidae | <i>Micropeplus porcatus</i> | (Paykull, 1789) | 1965 | 2 | 1996 | |
| 19 | Staphylinidae | <i>Micropeplus staphylinoides</i> | (Marsham, 1802) | 2003 | 4 | 2019 | |
| 19 | Staphylinidae | <i>Microscydmus nanus</i> | (Schaum, 1844) | 1960 | 4 | 1966 | Notable |
| 19 | Staphylinidae | <i>Mniusa incrassata</i> | (Mulsant & Rey, 1852) | 1910 | 1 | 1910 | |
| 19 | Staphylinidae | <i>Mycetoporus angularis</i> | Mulsant & Rey, 1853 | 2003 | 2 | 2016 | NS |
| 19 | Staphylinidae | <i>Mycetoporus clavicornis</i> | (Stephens, 1832) | 1961 | 1 | 1961 | |
| 19 | Staphylinidae | <i>Mycetoporus despectus</i> | Strand, A., 1969 | 1957 | 2 | 1957 | NS |
| 19 | Staphylinidae | <i>Mycetoporus lepidus</i> | (Gravenhorst, 1806) | 1901 | 6 | 2019 | |
| 19 | Staphylinidae | <i>Mycetoporus longulus</i> | Mannerheim, 1830 | 1957 | 1 | 1957 | |
| 19 | Staphylinidae | <i>Mycetoporus nigricollis</i> | Stephens, 1835 | 1966 | 6 | 2015 | |
| 19 | Staphylinidae | <i>Mycetoporus piceolus</i> | Rey, 1883 | 1974 | 1 | 1974 | NS |
| 19 | Staphylinidae | <i>Mycetoporus rufescens</i> | (Stephens, 1832) | 2014 | 1 | 2014 | |
| 19 | Staphylinidae | <i>Myllaena brevicornis</i> | (Matthews, A.H., 1838) | 1910 | 1 | 1910 | |
| 19 | Staphylinidae | <i>Myllaena elongata</i> | (Matthews A.H., 1838) | 1991 | 1 | 1991 | |
| 19 | Staphylinidae | <i>Myllaena minuta</i> | (Gravenhorst, 1806) | 1991 | 1 | 1991 | |
| 19 | Staphylinidae | <i>Myrmecopora sulcata</i> | (Kiesenwetter, 1850) | 1974 | 1 | 1974 | |
| 19 | Staphylinidae | <i>Nehemitropia lividipennis</i> | (Mannerheim, 1830) | 2003 | 1 | 2003 | |
| 19 | Staphylinidae | <i>Neobisnius procerulus</i> | (Gravenhorst, 1806) | 1910 | 1 | 1910 | |
| 19 | Staphylinidae | <i>Neuraphes elongatulus</i> | (Müller, P.W.J. & Kunze, 1822) | 1997 | 2 | 2007 | |

| | | | | | | | |
|----|---------------|-----------------------------------|------------------------------|------|------|------|------|
| 19 | Staphylinidae | <i>Neuraphes talparum</i> | Lokay, 1921 | 2007 | 1 | 2007 | |
| 19 | Staphylinidae | <i>Nudobius lentus</i> | (Gravenhorst, 1806) | 2016 | 1 | 2016 | |
| 19 | Staphylinidae | <i>Ocalea picata</i> | (Stephens, 1832) | 1910 | 2 | 1995 | |
| 19 | Staphylinidae | <i>Ochtheophilus aureus</i> | (Fauvel, 1871) | 1996 | 1 | 1996 | |
| 19 | Staphylinidae | <i>Ochtheophilus omalinus</i> | (Erichson, 1840) | 1966 | 2 | 2017 | |
| 19 | Staphylinidae | <i>Ocypus aeneocephalus</i> | (De Geer, 1774) | 1964 | many | 2018 | |
| 19 | Staphylinidae | <i>Ocypus brunnipes</i> | (Fabricius, 1781) | 1969 | 9 | 2019 | |
| 19 | Staphylinidae | <i>Ocypus fortunatarum</i> | (Wollaston, 1871) | 1963 | 1 | 1963 | Nb |
| 19 | Staphylinidae | <i>Ocypus olens</i> | (Müller, O.F., 1764) | 1903 | many | 2019 | |
| 19 | Staphylinidae | <i>Oligota (Holobus) apicatus</i> | Erichson, 1837 | 1970 | 3 | 1975 | |
| 19 | Staphylinidae | <i>Oligota inflata</i> | (Mannerheim, 1830) | 1910 | 5 | 1992 | |
| 19 | Staphylinidae | <i>Oligota pumilio</i> | Kiesenwetter, 1858 | 1978 | 1 | 1978 | |
| 19 | Staphylinidae | <i>Oligota pusillima</i> | (Gravenhorst, 1806) | 1988 | 1 | 1988 | |
| 19 | Staphylinidae | <i>Olophrum fuscum</i> | (Gravenhorst, 1806) | 2004 | 1 | 2004 | |
| 19 | Staphylinidae | <i>Olophrum piceum</i> | (Gyllenhal, 1810) | 1910 | many | 2020 | |
| 19 | Staphylinidae | <i>Omalius caesum</i> | Gravenhorst, 1806 | 1986 | 6 | 2014 | |
| 19 | Staphylinidae | <i>Omalius excavatum</i> | Stephens, 1834 | 2014 | 3 | 2017 | |
| 19 | Staphylinidae | <i>Omalius laeviusculum</i> | Gyllenhal, 1827 | 1974 | many | 2013 | |
| 19 | Staphylinidae | <i>Omalius riparium</i> | Thomson, C.G., 1857 | 1974 | 5 | 2003 | |
| 19 | Staphylinidae | <i>Omalius rivulare</i> | (Paykull, 1789) | 1910 | 4 | 2015 | |
| 19 | Staphylinidae | <i>Omalius rugulipenne</i> | Rye, 1864 | 1975 | 1 | 1975 | RDBK |
| 19 | Staphylinidae | <i>Ontholestes murinus</i> | (Linnaeus, 1758) | 2016 | 1 | 2016 | |
| 19 | Staphylinidae | <i>Ontholestes tessellatus</i> | (Geoffroy in Fourcroy. 1785) | 1961 | 1 | 1961 | |
| 19 | Staphylinidae | <i>Othius angustus</i> | Stephens, 1833 | 1987 | 4 | 2003 | |
| 19 | Staphylinidae | <i>Othius punctulatus</i> | (Goeze, 1777) | 1988 | many | 2019 | |
| 19 | Staphylinidae | <i>Othius subuliformis</i> | Stephens, 1833 | 1974 | 6 | 2020 | |
| 19 | Staphylinidae | <i>Oxypoda alternans</i> | (Gravenhorst, 1802) | 1995 | 1 | 1995 | |
| 19 | Staphylinidae | <i>Oxypoda annularis</i> | Mannerheim, 1830 | 1995 | 1 | 1995 | |
| 19 | Staphylinidae | <i>Oxypoda brachyptera</i> | (Stephens, 1832) | 2003 | 1 | 2003 | |
| 19 | Staphylinidae | <i>Oxypoda brevicornis</i> | (Stephens, 1832) | 1995 | 1 | 1995 | |
| 19 | Staphylinidae | <i>Oxypoda elongatula</i> | Aube, 1850 | 1910 | 1 | 1910 | |

| | | | | | | | |
|----|---------------|----------------------------------|----------------------------|------|------|------|------|
| 19 | Staphylinidae | <i>Oxygona mutata</i> | Sharp, 1871 | 1987 | 2 | 2006 | RDBK |
| 19 | Staphylinidae | <i>Oxyporus rufus</i> | (Linnaeus, 1758) | 1993 | 1 | 1993 | |
| 19 | Staphylinidae | <i>Oxytelus fulvipes</i> | Erichson, 1939 | 1991 | 1 | 1991 | |
| 19 | Staphylinidae | <i>Oxytelus laqueatus</i> | (Marsham, 1802) | 1910 | 7 | 2020 | |
| 19 | Staphylinidae | <i>Oxytelus sculptus</i> | Gravenhorst, 1806 | 1991 | 3 | 2006 | |
| 19 | Staphylinidae | <i>Parabolitobius inclinans</i> | (Gravenhorst, 1806) | 1990 | 1 | 1990 | NS |
| 19 | Staphylinidae | <i>Pella limbata</i> | (Paykull, 1789) | 2016 | 1 | 2016 | |
| 19 | Staphylinidae | <i>Philonthus addendus</i> | Sharp, 1867 | 1976 | 1 | 1976 | |
| 19 | Staphylinidae | <i>Philonthus albipes</i> | (Gravenhorst, 1802) | 1962 | 1 | 1962 | |
| 19 | Staphylinidae | <i>Philonthus carbonarius</i> | (Gravenhorst, 1802) | 1902 | many | 2020 | |
| 19 | Staphylinidae | <i>Philonthus cognatus</i> | Stephens, 1832 | 1974 | 5 | 2020 | |
| 19 | Staphylinidae | <i>Philonthus concinnus</i> | (Gravenhorst, 1802) | 2015 | 1 | 2015 | |
| 19 | Staphylinidae | <i>Philonthus cruentatus</i> | (Gmelin in Linnaeus, 1790) | 1902 | 1 | 1902 | |
| 19 | Staphylinidae | <i>Philonthus decorus</i> | (Gravenhorst, 1802) | 1995 | many | 2020 | |
| 19 | Staphylinidae | <i>Philonthus laminatus</i> | (Creutzer, 1799) | 1996 | 7 | 2018 | |
| 19 | Staphylinidae | <i>Philonthus longicornis</i> | Stephens, 1832 | 2015 | 2 | 2015 | |
| 19 | Staphylinidae | <i>Philonthus marginatus</i> | (Müller, O.F., 1764) | 1908 | many | 2019 | |
| 19 | Staphylinidae | <i>Philonthus micantoides</i> | Benick & Lohse, 1956 | 2018 | 2 | 2018 | |
| 19 | Staphylinidae | <i>Philonthus nigrita</i> | (Gravenhorst, 1806) | 2017 | 2 | 2018 | |
| 19 | Staphylinidae | <i>Philonthus rectangulus</i> | Sharp, 1874 | 1976 | 1 | 1976 | |
| 19 | Staphylinidae | <i>Philonthus rotundicollis</i> | (Ménétriés, 1832) | 1955 | 5 | 2014 | |
| 19 | Staphylinidae | <i>Philonthus splendens</i> | (Fabricius, 1793) | 2015 | 1 | 2015 | |
| 19 | Staphylinidae | <i>Philonthus succicola</i> | Thomson, C.G., 1860 | 2014 | 3 | 2019 | |
| 19 | Staphylinidae | <i>Philonthus tenuicornis</i> | Mulsant & Rey, 1853 | 2003 | 1 | 2003 | |
| 19 | Staphylinidae | <i>Philonthus varians</i> | (Paykull, 1789) | 1910 | 1 | 1910 | |
| 19 | Staphylinidae | <i>Philonthus ventralis</i> | (Gravenhorst, 1802) | 1910 | 1 | 1910 | |
| 19 | Staphylinidae | <i>Philorinum sordidum</i> | (Stephens, 1834) | 2018 | 2 | 2019 | |
| 19 | Staphylinidae | <i>Phloeocharis subtilissima</i> | Mannerheim, 1830 | 1910 | 1 | 1910 | |
| 19 | Staphylinidae | <i>Phloeonomus pusillus</i> | (Gravenhorst, 1806) | 1910 | 1 | 1910 | |
| 19 | Staphylinidae | <i>Phloeopora testacea</i> | (Mannerheim, 1830) | 2003 | 2 | 2003 | |
| 19 | Staphylinidae | <i>Phyllodrepa floralis</i> | (Paykull, 1789) | 1967 | 5 | 2014 | |

| | | | | | | | |
|----|---------------|--------------------------|------------------------|------|------|------|----|
| 19 | Staphylinidae | Phyllodrepoidea crenata | Ganglbauer, 1895 | 2018 | 1 | 2018 | Nb |
| 19 | Staphylinidae | Phytosus balticus | Kraatz, 1859 | 1966 | 8 | 2003 | |
| 19 | Staphylinidae | Phytosus spinifer | Curtis, 1838 | 2003 | 2 | 2003 | |
| 19 | Staphylinidae | Plataraea brunnea | (Fabricius, 1798) | 1981 | 1 | 1981 | |
| 19 | Staphylinidae | Platydracus latebricola | (Gravenhorst, 1806) | 2013 | 4 | 2015 | Nb |
| 19 | Staphylinidae | Platydracus stercorarius | (Olivier, 1795) | 1900 | 8 | 2019 | |
| 19 | Staphylinidae | Platystethus arenarius | (Fourcroy, 1785) | 1910 | 3 | 2017 | |
| 19 | Staphylinidae | Platystethus nitens | (Sahlberg, C.R., 1832) | 1910 | 1 | 1910 | |
| 19 | Staphylinidae | Proteinus atomarius | Eridhson, 1840 | 1964 | 1 | 1964 | |
| 19 | Staphylinidae | Proteinus brachypterus | (Fabricius, 1792) | 1910 | 5 | 2018 | |
| 19 | Staphylinidae | Proteinus ovalis | Stephens, 1834 | 1974 | 1 | 1974 | |
| 19 | Staphylinidae | Pselaphus heisei | Herbst, 1792 | 1971 | 7 | 2018 | |
| 19 | Staphylinidae | Pseudomedon obscurellus | (Erichson, 1840) | 1970 | 2 | 1987 | |
| 19 | Staphylinidae | Quedius boops | (Gravenhorst, 1802) | 1976 | 1 | 1976 | |
| 19 | Staphylinidae | Quedius balticus | Korge, 1960 | 1910 | 2 | 1911 | |
| 19 | Staphylinidae | Quedius boopoides | Munster, 1923 | 1995 | 2 | 2003 | |
| 19 | Staphylinidae | Quedius cinctus | (Paykull, 1790) | 1964 | 2 | 2003 | |
| 19 | Staphylinidae | Quedius cruentus | (Olivier, 1795) | 2014 | 3 | 2020 | |
| 19 | Staphylinidae | Quedius curtipennis | Bernhauer, 1908 | 1997 | many | 2019 | |
| 19 | Staphylinidae | Quedius fulgidus | (Fabricius, 1792) | 1905 | 1 | 1905 | |
| 19 | Staphylinidae | Quedius fuliginosus | (Gravenhorst, 1802) | 1974 | many | 2020 | |
| 19 | Staphylinidae | Quedius fumatus | (Stephens, 1833) | 2012 | 2 | 2016 | |
| 19 | Staphylinidae | Quedius lateralis | (Gravenhorst, 1802) | 2013 | 1 | 2013 | |
| 19 | Staphylinidae | Quedius levicollis | (Brullé, 1832) | 1969 | 6 | 2019 | |
| 19 | Staphylinidae | Quedius longicornis | Kraatz, 1857 | 1996 | 1 | 1996 | Nb |
| 19 | Staphylinidae | Quedius maurorufus | (Gravenhorst, 1806) | 1995 | 9 | 2020 | |
| 19 | Staphylinidae | Quedius maurus | (Sahlberg, C.R., 1830) | 1966 | 1 | 1966 | |
| 19 | Staphylinidae | Quedius mesomelinus | (Marsham, 1802) | 1964 | 3 | 2020 | |
| 19 | Staphylinidae | Quedius molochinus | (Gravenhorst, 1806) | 1962 | many | 2019 | |
| 19 | Staphylinidae | Quedius nemoralis | Baudi, 1848 | 1991 | 2 | 1991 | |
| 19 | Staphylinidae | Quedius nigriceps | Kraatz, 1857 | 2017 | 3 | 2020 | |

| | | | | | | | |
|----|---------------|----------------------------------|--------------------------------|------|------|------|----|
| 19 | Staphylinidae | <i>Quedius nitipennis</i> | (Stephens, 1833) | 1996 | 3 | 1997 | |
| 19 | Staphylinidae | <i>Quedius persimilis</i> | Mulsant & Rey, 1876 | 2018 | 1 | 2018 | |
| 19 | Staphylinidae | <i>Quedius picipes</i> | (Mannerheim, 1830) | 1954 | 4 | 1995 | |
| 19 | Staphylinidae | <i>Quedius plagiatus</i> | Mannerheim, 1843 | 2003 | 5 | 2019 | |
| 19 | Staphylinidae | <i>Quedius scintillans</i> | (Gravenhorst, 1806) | 1902 | 3 | 1974 | |
| 19 | Staphylinidae | <i>Quedius semiaeneus</i> | (Stephens, 1833) | 1976 | 2 | 1988 | |
| 19 | Staphylinidae | <i>Quedius semiobscurus</i> | (Marsham, 1802) | 1908 | 10 | 2016 | |
| 19 | Staphylinidae | <i>Quedius umbrinus</i> | Erichson, 1839 | 1958 | 3 | 2016 | |
| 19 | Staphylinidae | <i>Reichenbachia juncorum</i> | (Leach, 1817) | 2016 | 1 | 2016 | |
| 19 | Staphylinidae | <i>Rugilus orbiculatus</i> | (Paykull, 1789) | 1910 | 3 | 2003 | |
| 19 | Staphylinidae | <i>Rugilus rufipes</i> | Germar, 1835 | 1966 | 2 | 1995 | |
| 19 | Staphylinidae | <i>Scaphisoma boleti</i> | (Panzer, 1793) | 1910 | 8 | 2018 | Nb |
| 19 | Staphylinidae | <i>Scopaeus sulcicollis</i> | (Stephens, 1833) | 1910 | 2 | 1910 | |
| 19 | Staphylinidae | <i>Scydmaenus tarsatus</i> | Müllerr, P.W.J. & Kunze, 1822 | 1910 | 2 | 1974 | |
| 19 | Staphylinidae | <i>Sepedophilus littoreus</i> | (Linnaeus, 1758) | 1972 | 2 | 2020 | |
| 19 | Staphylinidae | <i>Sepedophilus marshami</i> | (Stephens, 1832) | 1970 | 10 | 2018 | |
| 19 | Staphylinidae | <i>Sepedophilus nigripennis</i> | (Stephens, 1832) | 1954 | many | 2018 | |
| 19 | Staphylinidae | <i>Staphylinus erythropterus</i> | Linnaeus, 1758 | 1969 | many | 2018 | |
| 19 | Staphylinidae | <i>Stenichnus bicolor</i> | (Denny, 1825) | 1964 | 2 | 1968 | |
| 19 | Staphylinidae | <i>Stenichnus collaris</i> | (Müller, P.W.J. & Kunze, 1822) | 1910 | 8 | 2018 | |
| 19 | Staphylinidae | <i>Stenus aceris</i> | Stephens, 1833 | 2003 | 1 | 2003 | |
| 19 | Staphylinidae | <i>Stenus ater</i> | Mannerheim, 1830 | 1908 | 2 | 1920 | Nb |
| 19 | Staphylinidae | <i>Stenus bifoveolatus</i> | Gyllenhal, 1827 | 1910 | 6 | 2017 | |
| 19 | Staphylinidae | <i>Stenus bimaculatus</i> | Gyllenhal, 1810 | 2012 | 5 | 2020 | |
| 19 | Staphylinidae | <i>Stenus binotatus</i> | Ljungh, 1804 | 2014 | 2 | 2015 | |
| 19 | Staphylinidae | <i>Stenus boops</i> | Ljungh, 1810 | 1974 | 3 | 2018 | |
| 19 | Staphylinidae | <i>Stenus brevipennis</i> | Thomson, C.G., 1851 | 2015 | 6 | 2018 | |
| 19 | Staphylinidae | <i>Stenus brunripes</i> | Stephens, 1833 | 1962 | many | 2018 | |
| 19 | Staphylinidae | <i>Stenus cicindeloides</i> | (Schaller, 1783) | 1980 | 9 | 2020 | |
| 19 | Staphylinidae | <i>Stenus clavicornis</i> | (Scopoli, 1763) | 1991 | many | 2019 | |
| 19 | Staphylinidae | <i>Stenus flavipes</i> | Stephens, 1833 | 1988 | 7 | 2020 | |

| | | | | | | | |
|----|---------------|---------------------------------|------------------------|------|------|------|------|
| 19 | Staphylinidae | <i>Stenus fossulatus</i> | Erichson, 1840 | 2014 | 1 | 2014 | RDB1 |
| 19 | Staphylinidae | <i>Stenus fulvicornis</i> | Stephens, 1833 | 2015 | 4 | 2020 | |
| 19 | Staphylinidae | <i>Stenus geniculatus</i> | Gravenhorst, 1806 | 2014 | 7 | 2020 | |
| 19 | Staphylinidae | <i>Stenus guttula</i> | Müller, P.W.J., 1821 | 1910 | 5 | 2017 | |
| 19 | Staphylinidae | <i>Stenus guynemeri</i> | Jacquelin du Val, 1850 | 2015 | 1 | 2015 | |
| 19 | Staphylinidae | <i>Stenus impressus</i> | Germar, 1824 | 1910 | many | 2020 | |
| 19 | Staphylinidae | <i>Stenus juno</i> | (Paykull, 1789) | 1997 | Many | 2020 | |
| 19 | Staphylinidae | <i>Stenus nanus</i> | Stephens, 1833 | 1997 | 1 | 1997 | |
| 19 | Staphylinidae | <i>Stenus nitidiusculus</i> | Stephens, 1833 | 1910 | many | 2019 | |
| 19 | Staphylinidae | <i>Stenus ochropus</i> | Kiesenwetter, 1858 | 1966 | 1 | 1966 | |
| 19 | Staphylinidae | <i>Stenus ossium</i> | Stephens, 1833 | 1986 | 3 | 2016 | |
| 19 | Staphylinidae | <i>Stenus pallipes</i> | Gravenhorst, 1802 | 2020 | 2 | 2020 | |
| 19 | Staphylinidae | <i>Stenus pallitarsis</i> | Stephens, 1833 | 2006 | 4 | 2017 | |
| 19 | Staphylinidae | <i>Stenus picipennis</i> | Erichson, 1840 | 2007 | 2 | 2017 | |
| 19 | Staphylinidae | <i>Stenus picipes</i> | Stephens, 1833 | 2003 | many | 2020 | |
| 19 | Staphylinidae | <i>Stenus providus</i> | Erichson, 1839 | 1987 | 3 | 1997 | |
| 19 | Staphylinidae | <i>Stenus pubescens</i> | Stephens, 1833 | 2006 | 3 | 2017 | |
| 19 | Staphylinidae | <i>Stenus similis</i> | (Herbst, 1784) | 1987 | many | 2020 | |
| 19 | Staphylinidae | <i>Stenus umbratilis</i> | Casey, 1884 | 1996 | 5 | 2017 | |
| 19 | Staphylinidae | <i>Tachinus corticinus</i> | Gravenhorst, 1802 | 1901 | 3 | 2006 | |
| 19 | Staphylinidae | <i>Tachinus humeralis</i> | Gravenhorst, 1802 | 2014 | 1 | 2014 | |
| 19 | Staphylinidae | <i>Tachinus laticollis</i> | Gravenhorst, 1802 | 1910 | many | 2020 | |
| 19 | Staphylinidae | <i>Tachinus marginellus</i> | (Fabricius, 1781) | 1974 | many | 2020 | |
| 19 | Staphylinidae | <i>Tachinus proximus</i> | Kraatz, 1855 | 1971 | 3 | 2020 | |
| 19 | Staphylinidae | <i>Tachinus rufipes</i> | (Linnaeus, 1758) | 1971 | many | 2020 | |
| 19 | Staphylinidae | <i>Tachinus subterraneus</i> | (Linnaeus, 1758) | 1901 | 4 | 2019 | |
| 19 | Staphylinidae | <i>Tachyporus chrysomelinus</i> | (Linnaeus, 1758) | 1962 | many | 2020 | |
| 19 | Staphylinidae | <i>Tachyporus dispar</i> | (Paykull, 1789) | 1996 | 5 | 2018 | |
| 19 | Staphylinidae | <i>Tachyporus formosus</i> | Matthews, A.H., 1838 | 1894 | 4 | 1992 | NS |
| 19 | Staphylinidae | <i>Tachyporus hypnorum</i> | (Fabricius, 1775) | 1974 | many | 2020 | |
| 19 | Staphylinidae | <i>Tachyporus nitidulus</i> | (Fabricius, 1781) | 1901 | 7 | 2020 | |

| | | | | | | | |
|----|---------------|------------------------------------|---------------------|------|------|------|---------|
| 19 | Staphylinidae | Tachyporus obtusus | (Linnaeus, 1767) | 1911 | 7 | 2020 | |
| 19 | Staphylinidae | Tachyporus pusillus | Gravenhorst, 1806 | 1976 | 5 | 1997 | |
| 19 | Staphylinidae | Tachyporus solutus | Erichson, 1839 | 1910 | 5 | 2018 | |
| 19 | Staphylinidae | Tachyporus transversalis | Gravenhorst, 1806 | 1910 | 2 | 1910 | |
| 19 | Staphylinidae | Tasgius ater | (Gravenhorst, 1802) | 2003 | 8 | 2019 | |
| 19 | Staphylinidae | Tasgius globulifer | (Geoffroy, 1785) | 1976 | 2 | 1988 | |
| 19 | Staphylinidae | Tasgius melanarius | (Heer, 1839) | 1978 | 8 | 2018 | |
| 19 | Staphylinidae | Tetartopeus (Lathrobium) quadratus | Paykull, 1789)q | 2014 | 1 | 2014 | |
| 19 | Staphylinidae | Thinobaena vestita | (Gravenhorst, 1806) | 1910 | 9 | 2003 | |
| 19 | Staphylinidae | Tinotus morion | (Gravenhorst, 1802) | 1997 | 1 | 1997 | |
| 19 | Staphylinidae | Trichophya pilicornis | (Gyllenhal, 1810) | 1910 | 1 | 1910 | |
| 19 | Staphylinidae | Tychus niger | (Payjull, 1800) | 1895 | 1 | 1895 | |
| 19 | Staphylinidae | Xantholinus linearis | (Olivier, 1795) | 1910 | many | 2019 | |
| 19 | Staphylinidae | Xantholinus longiventris | Heer, 1839 | 2018 | 6 | 2019 | |
| 19 | Staphylinidae | Xylodromus concinnus | (Marsham, 1802) | 1972 | 1 | 1972 | |
| 19 | Staphylinidae | Xylostiba monilicornis | (Gyllenhal, 1810) | 2003 | 1 | 2003 | Notable |
| 19 | Staphylinidae | Xylostiba monilicornis | (Gyllenhal, 1810) | 2003 | 1 | 2003 | |
| 20 | Geotrupidae | Anoplotrupes stercorosus | (Scriba, 1791) | 2013 | many | 2019 | |
| 20 | Geotrupidae | Geotrupes spiniger | (Marsham, 1802) | 2016 | 2 | 2016 | |
| 20 | Geotrupidae | Geotrupes stercorarius | (Linnaeus, 1758) | 1984 | 8 | 1999 | |
| 20 | Geotrupidae | Trypocopris vernalis | (Linnaeus, 1758) | 1856 | 1 | 1856 | NS |
| 20 | Geotrupidae | Typhaeus typhoeus | (Linnaeus, 1758) | 1896 | many | 2019 | |
| 22 | Lucanidae | Sinodendron cylindricum | (Linnaeus, 1758) | 2003 | 2 | 2011 | |
| 23 | Scarabaeidae | Acrossus depressus | (Kugelann, 1792) | 2003 | 10 | 2018 | |
| 23 | Scarabaeidae | Acrossus luridus | (Fabricius, 1775) | 2016 | 1 | 2018 | |
| 23 | Scarabaeidae | Acrossus rufipes | (Linnaeus, 1758) | 1996 | many | 2020 | |
| 23 | Scarabaeidae | Aegialia arenaria | (Fabricius, 1787) | 1895 | 14 | 2019 | |
| 23 | Scarabaeidae | Agolinus lapponum | Gyllenhal, 1808 | 1910 | 2 | 2004 | |
| 23 | Scarabaeidae | Agrilinus ater | (De Geer, 1774) | 1910 | 5 | 2016 | |
| 23 | Scarabaeidae | Anomala dubia | (Scopoli, 1763) | 1962 | 9 | 2019 | |
| 23 | Scarabaeidae | Aphodius fimetarius | (Linnaeus, 1758) | 2004 | 6 | 2016 | |

| | | | | | | | |
|----|--------------|----------------------------------|------------------------|------|------|------|------------|
| 23 | Scarabaeidae | <i>Aphodius pedellus</i> | (De Geer, 1774) | 2014 | 3 | 2018 | |
| 23 | Scarabaeidae | <i>Bodilopsus rufa</i> | (Moll, 1782) | 1912 | 4 | 2017 | |
| 23 | Scarabaeidae | <i>Chilo thorax paykulli</i> | Bedel, 1907 | 2014 | 1 | 2014 | RDB NT, NR |
| 23 | Scarabaeidae | <i>Esymus medarius</i> | (Fabricius, 1775) | 1899 | 1 | 1899 | NS |
| 23 | Scarabaeidae | <i>Esymus pusillus</i> | (Herbst, 1789) | 2004 | 1 | 2004 | |
| 23 | Scarabaeidae | <i>Hoplia philanthus</i> | (Füessly, 1775) | 2010 | 3 | 2018 | |
| 23 | Scarabaeidae | <i>Melinopterus prodromus</i> | (Brahm, 1790) | 2004 | 9 | 2019 | |
| 23 | Scarabaeidae | <i>Melinopterus sphacelatus</i> | (Panzer, 1798) | 1996 | 3 | 2018 | |
| 23 | Scarabaeidae | <i>Melolontha hippocastani</i> | Fabricius, 1801 | 1856 | 2 | 1992 | NR |
| 23 | Scarabaeidae | <i>Melolontha melolontha</i> | (Linnaeus, 1758) | 1961 | 5 | 2014 | |
| 23 | Scarabaeidae | <i>Nimbus contaminatus</i> | (Herbst, 1783) | 2003 | 3 | 2014 | |
| 23 | Scarabaeidae | <i>Nimbus obliteratus</i> | Sturm, 1823 | 2019 | 1 | 2019 | |
| 23 | Scarabaeidae | <i>Onthophagus loannae</i> | Goljon, 1953 | 1856 | 1 | 1856 | |
| 23 | Scarabaeidae | <i>Onthophagus nuchicornis</i> | (Linnaeus, 1758) | 1856 | 2 | 1872 | RDB VU, NR |
| 23 | Scarabaeidae | <i>Phyllopertha horticola</i> | (Linnaeus, 1758) | 1900 | 6 | 2019 | |
| 23 | Scarabaeidae | <i>Psammoporus insularis</i> | Pittino, 2006 | 1986 | 1 | 1986 | NS |
| 23 | Scarabaeidae | <i>Serica brunnea</i> | (Linnaeus, 1758) | 1995 | many | 2020 | |
| 23 | Scarabaeidae | <i>Teuchestes fossor</i> | (Linnaeus, 1758) | 2004 | 3 | 2017 | |
| 25 | Clambidae | <i>Calyptomerus dubius</i> | (Marshall, 1802) | 1959 | 2 | 1976 | |
| 25 | Clambidae | <i>Clambus armadillo</i> | (De Geer, 1774) | 1961 | 1 | 1961 | |
| 25 | Clambidae | <i>Clambus nigriclavis</i> | Stephens, 1832 | 1961 | 2 | 1966 | |
| 25 | Clambidae | <i>Clambus punctulum</i> | (Beck, 1817) | 1910 | 5 | 1966 | |
| 26 | Scirtidae | <i>Contacyphon coarctatus</i> | Paykull, 1799 | 1995 | 7 | 2020 | |
| 26 | Scirtidae | <i>Contacyphon hilaris</i> | Nyholm, 1944 | 1993 | 8 | 2017 | |
| 26 | Scirtidae | <i>Contacyphon ochraceus</i> | Stephens, 1830 | 1974 | 1 | 1979 | |
| 26 | Scirtidae | <i>Contacyphon padi</i> | (Linnaeus, 1758) | 1982 | many | 2020 | |
| 26 | Scirtidae | <i>Contacyphon variabilis</i> | (Thunberg, 1787) | 1979 | many | 2020 | |
| 26 | Scirtidae | <i>Cyphon laevipennis</i> | Tournier, 1868 | 2019 | 1 | 2019 | |
| 26 | Scirtidae | <i>Elodes minutus</i> | (Linnaeus, 1767) | 2007 | 2 | 2015 | NS |
| 26 | Scirtidae | <i>Hydrocyphon deflexicollis</i> | (Müller, P.W.J., 1821) | 2016 | 1 | 2016 | NS |
| 26 | Scirtidae | <i>Microcara testacea</i> | (Linnaeus, 1767) | 1985 | 7 | 2020 | |

| | | | | | | | |
|----|---------------|--------------------------|------------------------|------|------|------|----|
| 26 | Scirtidae | Odeles marginata | (Fabricius, 1798) | 1995 | 6 | 2020 | |
| 26 | Scirtidae | Scirtes hemisphaericus | (Linnaeus, 1758) | 2013 | 2 | 2019 | |
| 27 | Dascillidae | Dascillus cervinus | (Linnaeus, 1758) | 1975 | 5 | 2019 | |
| 29 | Byrrhidae | Byrrhus arietinus | Steffahny, 1842 | 1990 | 1 | 1990 | Nb |
| 29 | Byrrhidae | Byrrhus pilula | (Linnaeus, 1758) | 1974 | 8 | 2019 | |
| 29 | Byrrhidae | Byrrhus pustulatus | (Forster, 1770) | 2013 | 6 | 2019 | |
| 29 | Byrrhidae | Cytilus sericeus | (Forster, 1771) | 1976 | 10 | 2019 | |
| 29 | Byrrhidae | Morychus aeneus | (Fabricius, 1775) | 1958 | 9 | 2019 | |
| 29 | Byrrhidae | Simplocaria semistriata | (Fabricius, 1794) | 1976 | 2 | 1997 | |
| 30 | Elmidae | Elmis aenea | (Müller, P.W.J., 1806) | 1910 | many | 2020 | |
| 30 | Elmidae | Esolus parallelepipedus | (Müller, P.W.J., 1806) | 1974 | many | 2018 | |
| 30 | Elmidae | Limnius volckmari | (Panzer, 1793) | 1960 | many | 2020 | |
| 30 | Elmidae | Oulimnius troglodytes | (Gyllenhal, 1827) | 1911 | 3 | 2020 | NS |
| 30 | Elmidae | Oulimnius tuberculatus | (Müller, P.W.J., 1806) | 1911 | many | 2020 | |
| 30 | Elmidae | Riolus cupreus | (Müller, P.W.J., 1806) | 1911 | 4 | 2014 | NS |
| 30 | Elmidae | Riolus subviolaceus | (Müller, P.W.J., 1817) | 1911 | 13 | 2020 | NS |
| 31 | Dryopidae | Dryops ernesti | des Gozis, 1886 | 1990 | many | 2015 | |
| 31 | Dryopidae | Dryops luridus | (Erichson, 1847) | 1979 | many | 2020 | |
| 33 | Heteroceridae | Heterocerus marginatus | (Fabricius, 1787) | 1996 | 1 | 1996 | NS |
| 37 | Throscidae | Trixagus dermestoides | (Linnaeus, 1767) | 1966 | 3 | 2007 | |
| 38 | Elateridae | Actenicerus sjaelandicus | (Müller, O.F., 1764) | 1997 | 2 | 2016 | |
| 38 | Elateridae | Agriotes acuminatus | (Stephens, 1830) | 1995 | many | 2020 | |
| 38 | Elateridae | Agriotes lineatus | (Linnaeus, 1767) | 2016 | 4 | 2018 | |
| 38 | Elateridae | Agriotes obscurus | (Linnaeus, 1758) | 1977 | many | 2019 | |
| 38 | Elateridae | Agriotes pallidulus | (Illiger, 1807) | 1995 | many | 2020 | |
| 38 | Elateridae | Agriotes sputator | (Linnaeus, 1758) | 2007 | 2 | 2019 | |
| 38 | Elateridae | Agrypnus murinus | (Linnaeus, 1758) | 1959 | 8 | 2019 | |
| 38 | Elateridae | Ampedus balteatus | (Linnaeus, 1758) | 2016 | 4 | 2016 | |
| 38 | Elateridae | Aplotarsus incanus | (Gyllenhal, 1827) | 1997 | 8 | 2020 | |
| 38 | Elateridae | Athous bicolor | (Goeze, 1777) | 1966 | 2 | 1987 | |
| 38 | Elateridae | Athous haemorrhoidalis | (Fabricius, 1801) | 1974 | many | 2020 | |

| | | | | | | | |
|----|-------------|--------------------------------------|--------------------------------|------|------|------|----|
| 38 | Elateridae | <i>Athous vittatus</i> | (Fabricius, 1793) | 2007 | many | 2020 | |
| 38 | Elateridae | <i>Cidnopus aeruginosus</i> | (Olivier, 1790) | 1910 | many | 2018 | |
| 38 | Elateridae | <i>Ctenicera cuprea</i> | (Fabricius, 1775) | 2014 | many | 2019 | |
| 38 | Elateridae | <i>Dalopius marginatus</i> | (Linnaeus, 1758) | 1976 | many | 2019 | |
| 38 | Elateridae | <i>Denticollis linearis</i> | (Linnaeus, 1758) | 1997 | many | 2020 | |
| 38 | Elateridae | <i>Fleutiauxellus maritimus</i> | (Curtis, 1840) | 1966 | 3 | 1996 | Na |
| 38 | Elateridae | <i>Hypnoidus riparius</i> | (Fabricius, 1793) | 1984 | many | 2019 | |
| 38 | Elateridae | <i>Melanotus castanipes</i> | (Paykull, 1800) | 2007 | 5 | 2019 | |
| 38 | Elateridae | <i>Melanotus villosus sens. str.</i> | (Geoffroy in Fourcroy, 1785) | 1975 | 3 | 2019 | |
| 38 | Elateridae | <i>Prosternon tessellatum</i> | (Linnaeus, 1758) | 1976 | 4 | 2016 | |
| 38 | Elateridae | <i>Selatosomus aeneus</i> | (Linnaeus, 1758) | 1964 | 8 | 2016 | |
| 38 | Elateridae | <i>Stenagostus rhombeus</i> | (Olivier, 1790) | 1980 | 1 | 1980 | |
| 38 | Elateridae | <i>Zorochros minimus</i> | (Boisduval & Lacordaire, 1835) | 1977 | 9 | 2006 | |
| 42 | Cantharidae | <i>Cantharis cryptica</i> | Ashe, 1947 | 1995 | Many | 2020 | |
| 42 | Cantharidae | <i>Cantharis decipiens</i> | Baudi, 1871 | 1995 | many | 2020 | |
| 42 | Cantharidae | <i>Cantharis flavilabris</i> | Fallen, 1807 | | | | |
| 42 | Cantharidae | <i>Cantharis livida</i> | Linnaeus, 1758 | 2007 | many | 2020 | |
| 42 | Cantharidae | <i>Cantharis nigra</i> | (De Geer, 1774) | 2007 | 4 | 2020 | |
| 42 | Cantharidae | <i>Cantharis nigricans</i> | (Müller, O.F., 1776) | 1987 | many | 2020 | |
| 42 | Cantharidae | <i>Cantharis pallida</i> | Goeze, 1777 | 1987 | 9 | 2020 | |
| 42 | Cantharidae | <i>Cantharis paludosa</i> | Fallén, 1807 | 1988 | 7 | 2019 | |
| 42 | Cantharidae | <i>Cantharis pellucida</i> | Fabricius, 1792 | 1995 | many | 2020 | |
| 42 | Cantharidae | <i>Cantharis rufa</i> | Linnaeus, 1758 | 1974 | 5 | 2020 | |
| 42 | Cantharidae | <i>Cantharis rustica</i> | Fallén, 1807 | 1997 | many | 2019 | |
| 42 | Cantharidae | <i>Cantharis thoracica</i> | (Olivier, 1790) | 2014 | 2 | 2015 | |
| 42 | Cantharidae | <i>Malthinus flaveolus</i> | (Herbst, 1786) | 1995 | many | 2015 | |
| 42 | Cantharidae | <i>Malthinus seriepunctatus</i> | Kiesenwetter, 1852 | 2007 | 5 | 2007 | |
| 42 | Cantharidae | <i>Malthodes flavoguttatus</i> | Kiesenwetter, 1852 | 2006 | 8 | 2019 | |
| 42 | Cantharidae | <i>Malthodes fuscus</i> | (Wattl, 1838) | 2003 | 4 | 2007 | |
| 42 | Cantharidae | <i>Malthodes guttifer</i> | Kiesenwetter, 1852 | 2007 | 6 | 2015 | |
| 42 | Cantharidae | <i>Malthodes marginatus</i> | (Latreille, 1806) | 2003 | many | 2020 | |

| | | | | | | | |
|----|----------------|--------------------------|-------------------------------|------|------|------|----|
| 42 | Cantharidae | Malthodes minimus | (Linnaeus, 1758) | 2007 | 2 | 2015 | |
| 42 | Cantharidae | Malthodes mysticus | Kiesenwetter, 1852 | 2007 | many | 2014 | |
| 42 | Cantharidae | Podabrus alpinus | (Paykull, 1798) | 1966 | 7 | 2019 | |
| 42 | Cantharidae | Rhagonycha fulva | (Scopoli, 1763) | 1974 | many | 2020 | |
| 42 | Cantharidae | Rhagonycha lignosa | (Müller, O.F., 1764) | 1995 | many | 2019 | |
| 42 | Cantharidae | Rhagonycha limbata | Thomson, C.G., 1864 | 1976 | many | 2020 | |
| 42 | Cantharidae | Rhagonycha testacea | (Linnaeus, 1758) | 2015 | 3 | 2020 | |
| 42 | Cantharidae | Rhagonycha translucida | (Krynicky, 1832) | 2007 | 4 | 2007 | NS |
| 44 | Dermestidae | Dermestes lardarius | Linnaeus, 1758 | 2015 | 1 | 2015 | |
| 46 | Ptinidae | Anobium punctatum | (De Geer, 1774) | 2019 | 3 | 2020 | |
| 46 | Ptinidae | Dryophilus pusillus | (Gyllenhal, 1808) | 2007 | 3 | 2018 | |
| 46 | Ptinidae | Ernobius mollis | (Linnaeus, 1758) | 2007 | 2 | 2007 | |
| 46 | Ptinidae | Grynobius planus | (Fabricius, 1787) | 2003 | 4 | 2015 | |
| 46 | Ptinidae | Niptus hololeucus | (Faldermann, 1835) | 1856 | 1 | 1856 | |
| 46 | Ptinidae | Ptilinus pectinicornis | (Linnaeus, 1758) | 2019 | 1 | 2019 | |
| 46 | Ptinidae | Ptinus subpilosus | Sturm, 1837 | 2007 | 3 | 2007 | NS |
| 46 | Ptinidae | Tipnus unicolor | (Piller & Mitterpacher, 1783) | 1976 | 3 | 1988 | |
| 46 | Ptinidae | Trigonogenius globulus | Solier, 1849 | 1961 | 1 | 1961 | |
| 48 | Phloiophilidae | Phloiophilus edwardsii | Stephens, 1830 | 1961 | 2 | 1966 | |
| 53 | Byturidae | Byturus tomentosus | (De Geer, 1774) | 1910 | many | 2020 | |
| 54 | Sphindidae | Aspidiphorus orbiculatus | (Gyllenhal, 1808) | 1959 | many | 2007 | |
| 56 | Erotylidae | Dacne bipustulata | (Thunberg, 1781) | 1961 | 3 | 2019 | |
| 56 | Erotylidae | Triplax aenea | (Schaller, 1783) | 1961 | 9 | 2020 | |
| 57 | Monotomidae | Monotoma longicollis | (Gyllenhal, 1827) | 2013 | 1 | 2013 | |
| 57 | Monotomidae | Rhizophagus bipustulatus | (Fabricius, 1793) | 1910 | 5 | 2016 | |
| 57 | Monotomidae | Rhizophagus cribratus | Gyllenhal, 1827 | 1966 | 2 | 1966 | |
| 57 | Monotomidae | Rhizophagus depressus | (Fabricius, 1793) | 1910 | 4 | 1922 | |
| 57 | Monotomidae | Rhizophagus dispar | (Paykull, 1800) | 1987 | many | 2016 | |
| 57 | Monotomidae | Rhizophagus nitidulus | (Fabricius, 1798) | 1964 | 5 | 2016 | Nb |
| 57 | Monotomidae | Rhizophagus perforatus | Erichson, 1845 | 1975 | 3 | 2020 | |

| | | | | | | | |
|----|----------------|----------------------------------------------|-----------------------------|------|------|------|---------|
| 58 | Cryptophagidae | Antherophagus pallens (formerly nigricornis) | (Linnaeus, 1758) | 1993 | 4 | 2014 | |
| 58 | Cryptophagidae | Antherophagus similis | Curtis, 1835 | 2019 | 2 | 2019 | |
| 58 | Cryptophagidae | Atomaria apicalis | Erichson, 1846 | 1960 | 4 | 1986 | |
| 58 | Cryptophagidae | Atomaria apicalis | Erichson, 1846 | 1986 | 1 | 1986 | |
| 58 | Cryptophagidae | Atomaria atricapilla | Stephens, 1830 | 1977 | many | 1988 | |
| 58 | Cryptophagidae | Atomaria atricapilla | Stephens, 1830 | 1974 | 8 | 1991 | |
| 58 | Cryptophagidae | Atomaria basalis | Erichson, 1846 | 1995 | 2 | 1995 | |
| 58 | Cryptophagidae | Atomaria basalis | Erichson, 1846 | 1995 | 2 | 1995 | |
| 58 | Cryptophagidae | Atomaria diluta | Erichson, 1846 | 2019 | 1 | 2019 | RDBK |
| 58 | Cryptophagidae | Atomaria fimetarii | (Fabricius, 1792) | 1961 | 1 | 1961 | Notable |
| 58 | Cryptophagidae | Atomaria fuscata | (Schönherr, 1808) | 1974 | 4 | 2003 | |
| 58 | Cryptophagidae | Atomaria fuscipes | (Gyllenhal, 1808) | 1916 | 2 | 1959 | |
| 58 | Cryptophagidae | Atomaria lewisi | Reitter, 1877 | 1991 | 1 | 1991 | |
| 58 | Cryptophagidae | Atomaria longicornis | Thomson, C.G., 1863 | 1993 | 1 | 1993 | |
| 58 | Cryptophagidae | Atomaria nigrirostris | Stephens, 1830 | 1993 | 1 | 1993 | |
| 58 | Cryptophagidae | Atomaria nitidula | (Marsham, 1802) | 1977 | 2 | 1995 | |
| 58 | Cryptophagidae | Atomaria pulchra | Erichson, 1846 | 1993 | 1 | 1993 | |
| 58 | Cryptophagidae | Atomaria punctithorax | Reitter, 1888 | 1993 | 1 | 1993 | |
| 58 | Cryptophagidae | Atomaria pusilla | (Paykuhll, 1798) | 1960 | 2 | 1993 | |
| 58 | Cryptophagidae | Atomaria rubella | Heer, 1841 | 1993 | 4 | 1993 | |
| 58 | Cryptophagidae | Atomaria rubida | Reitter, 1875 | 1986 | 1 | 1986 | |
| 58 | Cryptophagidae | Atomaria strandi | Johnson, 1967 | 1993 | 1 | 1993 | |
| 58 | Cryptophagidae | Atomaria testacea | Stephens, 1830 | 1974 | 3 | 1991 | |
| 58 | Cryptophagidae | Atomaria umbrina | (Gyllenhal, 1827) | 1961 | 2 | 2019 | Notable |
| 58 | Cryptophagidae | Caenoscelis ferruginea | (Sahlberg, C.R., 1820) | 1961 | 1 | 1961 | |
| 58 | Cryptophagidae | Caenoscelis subdeplanata | Brisout de Barneville, 1882 | 2014 | 1 | 2014 | |
| 58 | Cryptophagidae | Cryptophagus acutangulus | Gyllenhal, 1827 | 1974 | 2 | 2006 | |
| 58 | Cryptophagidae | Cryptophagus dentatus | (Herbst, 1793) | 1974 | many | 2014 | |
| 58 | Cryptophagidae | Cryptophagus distinguendus | Sturm, 1845 | 1974 | 1 | 1974 | |
| 58 | Cryptophagidae | Cryptophagus laticollis | Lucas, 1846 | 1965 | 1 | 1965 | |

| | | | | | | | |
|----|----------------|--------------------------------------|--------------------|------|------|------|---------|
| 58 | Cryptophagidae | <i>Cryptophagus pubescens</i> | Sturm, 1845 | 1975 | 5 | 2014 | |
| 58 | Cryptophagidae | <i>Cryptophagus scanicus</i> | (Linnaeus, 1758) | 1976 | 4 | 2020 | |
| 58 | Cryptophagidae | <i>Cryptophagus scutellatus</i> | Newman, 1834 | 1974 | 1 | 1974 | |
| 58 | Cryptophagidae | <i>Cryptophagus setulosus</i> | Sturm, 1845 | 1976 | 5 | 1995 | |
| 58 | Cryptophagidae | <i>Ephistemus globulus</i> | (Paykull, 1798) | 1986 | 4 | 1993 | |
| 58 | Cryptophagidae | <i>Henoticus serratus</i> | (Gyllenhal, 1808) | 1910 | 3 | 2015 | |
| 58 | Cryptophagidae | <i>Micrambe pilulosula</i> | (Erichson, 1846) | 1978 | 1 | 1986 | |
| 58 | Cryptophagidae | <i>Micrambe ulicis</i> | (Stephens, 1830) | 2014 | 6 | 2020 | |
| 58 | Cryptophagidae | <i>Telmatophilus typhae</i> | (Fallén, 1802) | 1853 | 3 | 2020 | |
| 61 | Phalacridae | <i>Olibrus aeneus</i> | (Fabricius, 1792) | 2019 | 2 | 2019 | |
| 63 | Kateretidae | <i>Brachypterolus pusillus</i> | (Linnaeus, 1758) | 1993 | 1 | 1993 | |
| 63 | Kateretidae | <i>Brachypterus glaber</i> | (Newman, 1834) | 2014 | 3 | 2016 | |
| 63 | Kateretidae | <i>Brachypterus urticae</i> | (Fabricius, 1792) | 1986 | 4 | 2015 | |
| 63 | Kateretidae | <i>Kateretes pusillus</i> | (Thunberg, 1794) | 2017 | 1 | 2017 | |
| 63 | Kateretidae | <i>Kateretes rufilabris</i> | (Latreille, 1807) | 2011 | 4 | 2020 | |
| 64 | Nitidulidae | <i>Cychramus luteus</i> | (Fabricius, 1787) | 2014 | 3 | 2020 | |
| 64 | Nitidulidae | <i>Epuraea aestiva</i> | (Linnaeus) | 2017 | 1 | 2017 | |
| 64 | Nitidulidae | <i>Epuraea biguttata</i> | (Thunberg, 1784) | 2016 | 1 | 2016 | |
| 64 | Nitidulidae | <i>Epuraea distincta</i> | (Grimmer, 1841) | 2013 | 6 | 2015 | Na |
| 64 | Nitidulidae | <i>Epuraea limbata</i> | (Fabricius, 1787) | 2020 | 1 | 2020 | |
| 64 | Nitidulidae | <i>Epuraea marseuli</i> | Reitter, 1872 | 2007 | many | 2007 | |
| 64 | Nitidulidae | <i>Epuraea melanocephala</i> | (Marsham, 1802) | 1961 | many | 2007 | |
| 64 | Nitidulidae | <i>Epuraea pallescens</i> | (Stephens, 1835) | 2017 | 1 | 2017 | |
| 64 | Nitidulidae | <i>Epuraea rufomarginata</i> | (Stephens, 1830) | 2015 | 1 | 2015 | |
| 64 | Nitidulidae | <i>Epuraea silicea</i> | (Herbst, 1783) | 2014 | 1 | 2014 | |
| 64 | Nitidulidae | <i>Epuraea terminalis</i> | (Mannerheim, 1843) | 2007 | 3 | 2007 | RDBi |
| 64 | Nitidulidae | <i>Epuraea thoracica</i> | Tournier, 1872 | 2018 | 1 | 2018 | Notable |
| 64 | Nitidulidae | <i>Glischrochilus quadriguttatus</i> | (Fabricius, 1777) | 2016 | 1 | 2016 | |
| 64 | Nitidulidae | <i>Meligethes aeneus</i> | (Fabricius, 1775) | 1974 | 5 | 2020 | |
| 64 | Nitidulidae | <i>Meligethes brunnicornis</i> | Sturm, 1845 | 2020 | 1 | 2020 | |
| 64 | Nitidulidae | <i>Meligethes carinulatus</i> | Förster, 1849 | 2018 | 1 | 2018 | |

| | | | | | | | |
|----|---------------|---------------------------------------|------------------------|------|------|------|---------|
| 64 | Nitidulidae | <i>Meligethes exilis</i> | Sturm, 1845 | 1966 | 4 | 1987 | Notable |
| 64 | Nitidulidae | <i>Meligethes gagathinus</i> | Erichson, 1845 | 1986 | 3 | 1987 | Notable |
| 64 | Nitidulidae | <i>Meligethes nigrescens</i> | Stephens, 1830 | 1976 | 1 | 1976 | |
| 64 | Nitidulidae | <i>Meligethes obscurus</i> | Erichson, 1845 | 1976 | 3 | 1988 | |
| 64 | Nitidulidae | <i>Meligethes planiusculus</i> | (Heer, 1841) | 2018 | 3 | 2019 | |
| 64 | Nitidulidae | <i>Meligethes viridescens</i> | (Fabricius, 1787) | 1910 | 6 | 1993 | |
| 64 | Nitidulidae | <i>Omosita colon</i> | (Linnaeus, 1758) | 1959 | 4 | 2019 | |
| 64 | Nitidulidae | <i>Omosita discoidea</i> | (Fabricius, 1775) | 1962 | 1 | 1962 | |
| 64 | Nitidulidae | <i>Pocadius ferrugineus</i> | (Linnaeus, 1758) | 1856 | 1 | 1856 | |
| 64 | Nitidulidae | <i>Soronia grisea</i> | (Linnaeus, 1758) | 2015 | 3 | 2018 | |
| 64 | Nitidulidae | <i>Soronia punctatissima</i> | (Illiger, 1794) | 2007 | 7 | 2020 | |
| 65 | Bothrideridae | <i>Anommatus duodecimstriatus</i> | (Müller, P.W.J., 1821) | 1961 | 2 | 1966 | Na |
| 66 | Cerylonidae | <i>Cerylon ferrugineum</i> | Stephens, 1830 | 2003 | 5 | 2018 | |
| 67 | Alexiidae | <i>Sphaerosoma pilosum</i> | (Panzer, 1793) | 1970 | 5 | 1991 | |
| 68 | Endomychidae | <i>Endomychus coccineus</i> | (Linnaeus, 1758) | 2019 | 1 | 2019 | |
| 68 | Endomychidae | <i>Mycetaea subterranea</i> | (Fabricius, 1801) | 1958 | 1 | 1958 | |
| 69 | Coccinellidae | <i>Adalia bipunctata</i> | (Linnaeus, 1758) | 1985 | 9 | 2019 | |
| 69 | Coccinellidae | <i>Adalia decempunctata</i> | (Linnaeus, 1758) | 1986 | many | 2020 | |
| 69 | Coccinellidae | <i>Anatis ocellata</i> | (Linnaeus, 1758) | 2005 | many | 2019 | |
| 69 | Coccinellidae | <i>Anisosticta novemdecimpunctata</i> | (Linnaeus, 1758) | 2020 | 1 | 2020 | |
| 69 | Coccinellidae | <i>Anisosticta novemdecimpunctata</i> | (Linnaeus, 1758) | 2020 | 1 | 2020 | |
| 69 | Coccinellidae | <i>Aphidecta oblitterata</i> | (Linnaeus, 1758) | 1906 | many | 2020 | |
| 69 | Coccinellidae | <i>Calvia quattuordecimguttata</i> | (Linnaeus, 1758) | 1881 | many | 2020 | |
| 69 | Coccinellidae | <i>Chilocorus bipustulatus</i> | (Linnaeus, 1758) | 1978 | 1 | 1978 | |
| 69 | Coccinellidae | <i>Chilocorus renipustulatus</i> | (Scriba, 1791) | 2016 | 7 | 2020 | |
| 69 | Coccinellidae | <i>Coccidula rufa</i> | (Herbst, 1783) | 1976 | many | 2020 | |
| 69 | Coccinellidae | <i>Coccinella hieroglyphica</i> | Linnaeus, 1758 | 1901 | many | 2019 | |
| 69 | Coccinellidae | <i>Coccinella magnifica</i> | Redtenbacheri, 1843 | 2019 | 1 | 2019 | Nb |
| 69 | Coccinellidae | <i>Coccinella septempunctata</i> | Linnaeus, 1758 | 1881 | many | 2020 | |
| 69 | Coccinellidae | <i>Coccinella undecimpunctata</i> | Linnaeus, 1758 | 1901 | many | 2019 | |
| 69 | Coccinellidae | <i>Exochomus quadripustulatus</i> | (Linnaeus, 1758) | 2015 | 1 | 2015 | |

| | | | | | | |
|----|----------------|---------------------------------------|---------------------|------|------|------|
| 69 | Coccinellidae | Halyzia sedecimguttata | (Linnaeus, 1758) | 2003 | many | 2020 |
| 69 | Coccinellidae | Harmonia axyridis | (Pallas, 1773) | 2010 | 5 | 2015 |
| 69 | Coccinellidae | Harmonia quadripunctata | (Pontoppidan, 1763) | 2014 | 1 | 2014 |
| 69 | Coccinellidae | Myrrha octodecimguttata | (Linnaeus, 1758) | 1901 | 4 | 2019 |
| 69 | Coccinellidae | Myzia oblongoguttata | (Linnaeus, 1758) | 2014 | many | 2019 |
| 69 | Coccinellidae | Nephus redtenbacheri | (Mulsant, 1846) | 1954 | 4 | 2003 |
| 69 | Coccinellidae | Propylaea quattuordecimpunctata | (Linnaeus, 1758) | 1999 | 2 | 2008 |
| 69 | Coccinellidae | Rhyzobius litura | (Fabricius, 1787) | 1954 | many | 2016 |
| 69 | Coccinellidae | Scymnus suturellus | Thunberg, 1795 | 1973 | 1 | 1973 |
| 69 | Coccinellidae | Subcoccinella vigintiquatuor punctata | (Linnaeus, 1758) | 1901 | many | 2015 |
| 69 | Coccinellidae | Tythapsis sedecimpunctata | (Linnaeus, 1760) | 2007 | 3 | 2010 |
| 70 | Corylophidae | Orthoperus atomarius | (Heer, 1841) | 1976 | 1 | 1976 |
| 71 | Latridiidae | Cartodere bifasciata | (Reitter, 1877) | 1963 | many | 2006 |
| 71 | Latridiidae | Cartodere nodifer | (Westwood, 1839) | 1910 | many | 2019 |
| 71 | Latridiidae | Corticaria crenulata | (Gyllenhal, 1827) | 1976 | 6 | 1992 |
| 71 | Latridiidae | Corticaria elongata | (Gyllenhal, 1827) | 2013 | 1 | 2013 |
| 71 | Latridiidae | Corticaria ferruginea | Marsham, 1802 | 1918 | 1 | 1918 |
| 71 | Latridiidae | Corticaria impressa | (Olivier, 1790) | 1895 | 1 | 1895 |
| 71 | Latridiidae | Corticaria serrata | (Paykull, 1798) | 2013 | 2 | 2015 |
| 71 | Latridiidae | Corticaria umbilicata | (Beck, 1817) | 1959 | 7 | 2018 |
| 71 | Latridiidae | Corticarina minuta | (Fabricius, 1792) | 1897 | many | 2018 |
| 71 | Latridiidae | Corticaria gibbosa | (Herbst, 1793) | 1974 | 5 | 2018 |
| 71 | Latridiidae | Enicmus histrio | Joy & Tomlin, 1910 | 1976 | 2 | 1988 |
| 71 | Latridiidae | Enicmus testaceus | (Stephens, 1830) | 2015 | 3 | 2019 |
| 71 | Latridiidae | Lardarius minutus | (Linnaeus, 171767) | 1986 | 3 | 2015 |
| 71 | Latridiidae | Lithostignus serripennis | Broun, 1914 | 1964 | 1 | 1964 |
| 71 | Latridiidae | Stephostethus lardarius | (De Geer, 1775) | 1986 | 3 | 2015 |
| 72 | Mycetophagidae | Mycetophagus atomarius | (Fabricius, 1787) | 1966 | 1 | 1966 |
| 72 | Mycetophagidae | Typhea stercorea | (Linnaeus, 1758) | 1910 | 1 | 1910 |
| 73 | Ciidae | Cis bidentatus | (Olivier, 1790) | 2015 | 2 | 2015 |
| 73 | Ciidae | Cis bilamellatus | Wood, 1884 | 1987 | 1 | 1987 |

| | | | | | | | |
|----|---------------|-----------------------------------|-------------------|------|------|------|----|
| 73 | Ciidae | <i>Cis boleti</i> | (Scopoli, 1763) | 1974 | many | 2015 | |
| 73 | Ciidae | <i>Cis festivus</i> | (Panzer, 1793) | 2013 | 4 | 2015 | Nb |
| 73 | Ciidae | <i>Cis nitidus</i> | (Fabricius, 1792) | 1987 | 2 | 2003 | |
| 73 | Ciidae | <i>Cis vestitus</i> | (Mellié, 1849) | 1974 | 1 | 1974 | |
| 73 | Ciidae | <i>Octotemnus glabriculus</i> | (Gyllenhal, 1827) | 1974 | 4 | 2007 | |
| 73 | Ciidae | <i>Orthocis alni</i> | (Gyllenhal, 1813) | 1966 | 4 | 2015 | |
| 74 | Tetratomidae | <i>Hallomenus binotatus</i> | (Quensel, 1790) | 2014 | 2 | 2020 | NS |
| 74 | Tetratomidae | <i>Tetratoma ancora</i> | Fabricius, 1791 | 1966 | many | 2016 | NR |
| 74 | Tetratomidae | <i>Tetratoma desmarestii</i> | Latreille, 1807 | 1958 | 1 | 1958 | NS |
| 74 | Tetratomidae | <i>Tetratoma fungorum</i> | Fabricius, 1790 | 2003 | 2 | 2017 | |
| 75 | Melandryidae | <i>Abdera flexuosa</i> | (Paykull, 1799) | 1959 | 2 | 1966 | NS |
| 75 | Melandryidae | <i>Conopalpus testaceus</i> | (Olivier, 1790) | 2013 | 1 | 2013 | |
| 75 | Melandryidae | <i>Orcesia micans</i> | (Panzer, 1793) | 2012 | 1 | 2012 | NS |
| 75 | Melandryidae | <i>Orchesia minor</i> | Walker, 1836 | 1961 | 4 | 2007 | NS |
| 75 | Melandryidae | <i>Orchesia undulata</i> | Kraatz, 1853 | 1966 | 4 | 2014 | |
| 78 | Zopheridae | <i>Orthocerus clavicornis</i> | (Linnaeus, 1758) | 1856 | 5 | 2018 | NR |
| 79 | Tenebrionidae | <i>Blaps mortisaga</i> | (Linnaeus, 1758) | 1856 | 1 | 1856 | |
| 79 | Tenebrionidae | <i>Isomira murina</i> | (Linnaeus, 1758) | 1975 | 4 | 2016 | |
| 79 | Tenebrionidae | <i>Lagria hirta</i> | (Linnaeus, 1758) | 1920 | 7 | 1987 | |
| 79 | Tenebrionidae | <i>Nalassus laevioctostriatus</i> | (Goeze, 1777) | 1997 | 2 | 2006 | |
| 79 | Tenebrionidae | <i>Phaleria cadaverina</i> | (Fabricius, 1792) | 1954 | 6 | 2003 | |
| 79 | Tenebrionidae | <i>Phylan gibbus</i> | (Fabricius, 1775) | 1872 | many | 2019 | |
| 80 | Oedemeridae | <i>Oedemera femoralis</i> | Olivier, 1803 | 1962 | 1 | 1962 | |
| 80 | Oedemeridae | <i>Oedemera virescens</i> | (Linnaeus, 1767) | 1995 | many | 2020 | NR |
| 81 | Meloidae | <i>Meloe proscarabaeus</i> | Linnaeus, 1758 | 1910 | 2 | 1939 | |
| 81 | Meloidae | <i>Meloe violaceus</i> | Marsham, 1802 | 2019 | 1 | 2019 | |
| 85 | Salpingidae | <i>Salpingus planirostris</i> | (Fabricius, 1787) | 1986 | 9 | 2020 | |
| 85 | Salpingidae | <i>Salpingus ruficollis</i> | (Linnaeus, 1761) | 1986 | 5 | 2015 | |
| 85 | Salpingidae | <i>Sphaeriestes castaneus</i> | (Panzer, 1796) | 1916 | 2 | 2019 | |
| 85 | Salpingidae | <i>Vincenzellus ruficollis</i> | (Panzer, 1794) | 2016 | 2 | 2016 | |
| 86 | Anthicidae | <i>Notoxus monocerus</i> | (Linnaeus, 1760) | 1900 | 1 | 1900 | |

| | | | | | | | |
|----|---------------|-------------------------|-------------------------------|------|------|------|------------|
| 86 | Anthicidae | Omonadus floralis | (Linnaeus, 1758) | 1921 | 3 | 2020 | |
| 88 | Scraptiidae | Anaspis fasciata | (Forster, 1771) | 1987 | 1 | 1987 | |
| 88 | Scraptiidae | Anaspis frontalis | (Linnaeus, 1758) | 1910 | many | 2020 | |
| 88 | Scraptiidae | Anaspis maculata | (Geoffroy in Fourcroy, 1785) | 2007 | many | 2020 | |
| 88 | Scraptiidae | Anaspis regimbarti | Schilsky, 1895 | 2007 | 8 | 2020 | |
| 88 | Scraptiidae | Anaspis rufilabris | (Gyllenhal, 1827) | 2003 | many | 2020 | |
| 88 | Scraptiidae | Anaspis thoracica | (Linnaeus, 1758) | 2007 | 3 | 2015 | NS |
| 89 | Cerambycidae | Acanthocinus aedilis | (Linnaeus, 1758) | 1901 | 4 | 1980 | RDB NT, NR |
| 89 | Cerambycidae | Alosterna tabacicolor | (De Geer, 1775) | 1962 | 8 | 2007 | |
| 89 | Cerambycidae | Asemum striatum | (Linnaeus, 1758) | 2016 | 1 | 2016 | |
| 89 | Cerambycidae | Grammoptera ruficornis | (Fabricius, 1781) | 1966 | many | 2020 | |
| 89 | Cerambycidae | Leiopus nebulosus | (Linnaeus, 1758) | 1961 | 2 | 2007 | |
| 89 | Cerambycidae | Leptura quadrifasciata | Linnaeus, 1758 | 1960 | many | 2015 | |
| 89 | Cerambycidae | Pogonocherus hispidulus | (Piller & Mitterpacher, 1783) | 1960 | 4 | 1966 | |
| 89 | Cerambycidae | Pogonocherus hispidus | (Linnaeus, 1758) | 1966 | 3 | 2019 | |
| 89 | Cerambycidae | Rhagium bifasciatum | Fabricius, 1775 | 2004 | many | 2019 | |
| 89 | Cerambycidae | Rhagium mordax | (De Geer, 1775) | 1940 | many | 2018 | |
| 89 | Cerambycidae | Rutpela maculata | (Poda, 1761) | 2015 | 1 | 2015 | |
| 89 | Cerambycidae | Stictoleptura rubra | (Linnaeus, 1758) | 2014 | 1 | 2014 | |
| 92 | Chrysomelidae | Altica ericeti | (Allard, 1859) | 2006 | 2 | 2016 | |
| 92 | Chrysomelidae | Altica lythri | Aubé, 1843 | 2013 | 6 | 2016 | |
| 92 | Chrysomelidae | Altica oleracea | (Linnaeus, 1758) | 2013 | 6 | 2018 | |
| 92 | Chrysomelidae | Altica palustris | Weise, 1888 | 2019 | 2 | 2019 | |
| 92 | Chrysomelidae | Aphthona nigriceps | (Redtenbacher, 1842) | 1990 | 1 | 1990 | NS |
| 92 | Chrysomelidae | Aphthona nonstriata | (Goeze, 1777) | 2014 | many | 2019 | |
| 92 | Chrysomelidae | Apteropeda orbiculata | (Marsham, 1802) | 1977 | 5 | 2019 | |
| 92 | Chrysomelidae | Batophila rubi | (Paykull, 1799) | 1970 | 2 | 1975 | |
| 92 | Chrysomelidae | Bruchus rufimanus | Boheman, 1833 | 1856 | 1 | 1856 | |
| 92 | Chrysomelidae | Cassida flaveola | Thunberg, 1794 | 1961 | 3 | 2013 | |
| 92 | Chrysomelidae | Cassida hemisphaerica | Herbst, 1799 | 1975 | 1 | 1975 | NS |
| 92 | Chrysomelidae | Cassida nobilis | Linnaeus, 1758 | 1976 | 4 | 2019 | NS |

| | | | | | | | |
|----|---------------|--------------------------------|--------------------|------|------|------|----|
| 92 | Chrysomelidae | <i>Cassida rubiginosa</i> | Müller, O.F., 1776 | 1962 | many | 2016 | |
| 92 | Chrysomelidae | <i>Cassida viridis</i> | Linnaeus, 1758 | 1900 | 8 | 2020 | |
| 92 | Chrysomelidae | <i>Chaetocnema concinna</i> | (Marsham, 1802) | 1908 | 4 | 2018 | |
| 92 | Chrysomelidae | <i>Chaetocnema hortensis</i> | (Fourcroy, 1785) | 1976 | 7 | 2018 | |
| 92 | Chrysomelidae | <i>Chrysolina banksii</i> | (Fabricius, 1775) | 1853 | 2 | 1856 | |
| 92 | Chrysomelidae | <i>Chrysolina fastuosa</i> | (Scopoli, 1763) | 1936 | 3 | 2019 | |
| 92 | Chrysomelidae | <i>Chrysolina haemoptera</i> | (Linnaeus, 1758) | 1898 | 1 | 1898 | NS |
| 92 | Chrysomelidae | <i>Chrysolina hyperici</i> | (Forster, 1771) | 1985 | 1 | 1985 | |
| 92 | Chrysomelidae | <i>Chrysolina polita</i> | (Linnaeus, 1758) | 1974 | 8 | 2020 | |
| 92 | Chrysomelidae | <i>Chrysolina staphylaea</i> | (Linnaeus, 1758) | 1921 | 6 | 2019 | |
| 92 | Chrysomelidae | <i>Chrysolina varians</i> | (Schaller, 1783) | 2020 | 1 | 2020 | |
| 92 | Chrysomelidae | <i>Chrysomela aenea</i> | Linnaeus, 1758 | 2018 | 1 | 2018 | |
| 92 | Chrysomelidae | <i>Crepidodera aurata</i> | (Marsham, 1802) | 2015 | 1 | 2015 | |
| 92 | Chrysomelidae | <i>Crepidodera aurea</i> | (Fourcroy, 1785) | 1856 | 9 | 2019 | |
| 92 | Chrysomelidae | <i>Crepidodera fulvicornis</i> | (Fabricius, 1793) | 1955 | 8 | 2020 | |
| 92 | Chrysomelidae | <i>Criocerus asparagi</i> | (Linnaeus, 1758) | 1856 | 1 | 1856 | |
| 92 | Chrysomelidae | <i>Cryptocephalus aureolus</i> | Suffrian, 1847 | 1895 | 2 | 2015 | |
| 92 | Chrysomelidae | <i>Cryptocephalus labiatus</i> | (Linnaeus, 1761) | 1977 | 8 | 2019 | |
| 92 | Chrysomelidae | <i>Cryptocephalus moraei</i> | (Linnaeus, 1758) | 1895 | 1 | 1895 | |
| 92 | Chrysomelidae | <i>Derocrepis rufipes</i> | (Linnaeus, 1758) | 1987 | 4 | 2018 | |
| 92 | Chrysomelidae | <i>Donacia clavipes</i> | Fabricius, 1793 | 1984 | 1 | 1984 | |
| 92 | Chrysomelidae | <i>Donacia crassipes</i> | Fabricius, 1775 | 2009 | 1 | 2009 | NS |
| 92 | Chrysomelidae | <i>Donacia impressa</i> | Paykull, 1799 | 1856 | 1 | 1985 | NS |
| 92 | Chrysomelidae | <i>Donacia obscura</i> | Gyllenhal, 1813 | 2016 | 1 | 2016 | |
| 92 | Chrysomelidae | <i>Donacia simplex</i> | Fabricius, 1775 | 1859 | 5 | 2004 | |
| 92 | Chrysomelidae | <i>Donacia thalassina</i> | Germar, 1811 | 1996 | 2 | 2019 | NS |
| 92 | Chrysomelidae | <i>Donacia versicoloreae</i> | (Brahm, 1791) | 1895 | 5 | 2014 | |
| 92 | Chrysomelidae | <i>Donacia vulgaris</i> | Zschach, 1788 | 2015 | 2 | 2019 | |
| 92 | Chrysomelidae | <i>Galeruca tanacetii</i> | (Linnaeus, 1758) | 1988 | 1 | 1988 | |
| 92 | Chrysomelidae | <i>Galerucella lineola</i> | (Fabricius, 1781) | 1983 | many | 2019 | |
| 92 | Chrysomelidae | <i>Galerucella nymphaeae</i> | (Linnaeus, 1758) | 2006 | 3 | 2013 | |

| | | | | | | | |
|----|---------------|------------------------------------|--------------------------|------|------|------|----|
| 92 | Chrysomelidae | <i>Galerucella sagittariae</i> | (Gyllenhal, 1813) | 1975 | 6 | 2019 | |
| 92 | Chrysomelidae | <i>Gastrophysa polygoni</i> | (Linnaeus, 1758) | 1905 | 6 | 2016 | |
| 92 | Chrysomelidae | <i>Gastrophysa viridula</i> | (De Geer, 1775) | 1983 | many | 2020 | |
| 92 | Chrysomelidae | <i>Gonioctena olivacea</i> | (Forster, 1771) | 2019 | 4 | 2020 | |
| 92 | Chrysomelidae | <i>Gonioctena pallida</i> | (Linnaeus, 1758) | 2013 | 8 | 2018 | |
| 92 | Chrysomelidae | <i>Hippuriphila modeeri</i> | (Linnaeus, 1761) | 1996 | 2 | 1997 | |
| 92 | Chrysomelidae | <i>Hydrothassa glabra</i> | (Herbst, 1783) | 1988 | 8 | 2019 | |
| 92 | Chrysomelidae | <i>Hydrothassa marginella</i> | (Linnaeus, 1758) | 2015 | many | 2020 | |
| 92 | Chrysomelidae | <i>Liliocercis lili</i> | (Scopoli, 1763) | 2011 | 9 | 2020 | |
| 92 | Chrysomelidae | <i>Lochmaea caprea</i> | (Linnaeus, 1758) | 1910 | many | 2019 | |
| 92 | Chrysomelidae | <i>Lochmaea suturalis</i> | (Thomson, C.G., 1866) | 1983 | many | 2020 | |
| 92 | Chrysomelidae | <i>Longitarsus atriculus</i> | (Linnaeus, 1760) | 1995 | 1 | 1995 | |
| 92 | Chrysomelidae | <i>Longitarsus brunneus</i> | (Duftschmid, 1825) | 1990 | 1 | 1990 | NS |
| 92 | Chrysomelidae | <i>Longitarsus exoletus</i> | (Linnaeus, 1758) | 2007 | 1 | 2007 | |
| 92 | Chrysomelidae | <i>Longitarsus ganglbaueri</i> | Heikertinger, 1912 | 2019 | 1 | 2019 | NS |
| 92 | Chrysomelidae | <i>Longitarsus holsaticus</i> | (Linnaeus, 1758) | 1988 | 1 | 1988 | |
| 92 | Chrysomelidae | <i>Longitarsus jacobaeae</i> | (Waterhouse, G.R., 1858) | 1908 | 4 | 1988 | |
| 92 | Chrysomelidae | <i>Longitarsus luridus</i> | (Scopoli, 1763) | 1986 | 9 | 2020 | |
| 92 | Chrysomelidae | <i>Longitarsus melanocephalus</i> | (De Geer, 1775) | 1988 | 2 | 2012 | |
| 92 | Chrysomelidae | <i>Longitarsus pratensis</i> | (Panzer, 1794) | 1974 | 3 | 2003 | |
| 92 | Chrysomelidae | <i>Longitarsus succineus</i> | (Foudras, 1860) | 1962 | 3 | 2003 | |
| 92 | Chrysomelidae | <i>Longitarsus suturellus</i> | (Duftschmid, 1825) | 2012 | 4 | 2019 | |
| 92 | Chrysomelidae | <i>Luperus longicornis</i> | (Fabricius, 1781) | 2006 | many | 2019 | |
| 92 | Chrysomelidae | <i>Mantura matthewsii</i> | (Curtis, 1833) | 1977 | 1 | 1977 | |
| 92 | Chrysomelidae | <i>Mniophila muscorum</i> | (Koch, J.D.W., 1803) | 1910 | 4 | 1961 | NS |
| 92 | Chrysomelidae | <i>Neocrepidodera ferruginea</i> | (Scopoli, 1763) | 1921 | many | 2020 | |
| 92 | Chrysomelidae | <i>Neocrepidodera transversa</i> | (Marsham, 1802) | 1962 | many | 2019 | |
| 92 | Chrysomelidae | <i>Oomorplus concolor</i> | (Sturm, 1807) | 1974 | 4 | 1991 | |
| 92 | Chrysomelidae | <i>Oulema melanopus sens. lat.</i> | | 1993 | 9 | 2020 | |
| 92 | Chrysomelidae | <i>Oulema melanopus sens. str.</i> | (Linnaeus, 1758) | 1984 | 4 | 2015 | |
| 92 | Chrysomelidae | <i>Oulema obscura</i> | (Stephens, 1831) | 1959 | 8 | 2018 | |

| | | | | | | | |
|----|---------------|----------------------------|----------------------|------|------|------|----|
| 92 | Chrysomelidae | Phaedon armoraciae | (Linnaeus, 1758) | 1993 | many | 2019 | |
| 92 | Chrysomelidae | Phaedon cochleariae | (Fabricius, 1792) | 2012 | 6 | 2014 | |
| 92 | Chrysomelidae | Phaedon concinnus | Stephens, 1831 | 1911 | 2 | 2020 | NS |
| 92 | Chrysomelidae | Phaedon tumidulus | (Germar, 1824) | 1983 | many | 2020 | |
| 92 | Chrysomelidae | Phratora laticollis | Suffrian, 1851 | 2014 | 8 | 2015 | |
| 92 | Chrysomelidae | Phratora vitellinae | (Linnaeus, 1758) | 1982 | 9 | 2018 | |
| 92 | Chrysomelidae | Phratora vulgatissima | (Linnaeus, 1758) | 2013 | 8 | 2019 | |
| 92 | Chrysomelidae | Phyllotreta exclamationis | (Thunberg, 1784) | 1910 | 1 | 1910 | |
| 92 | Chrysomelidae | Phyllotreta flexuosa | (Illiger, 1794) | 1997 | 9 | 2015 | |
| 92 | Chrysomelidae | Phyllotreta nemorum | (Linnaeus, 1758) | 2019 | 1 | 2019 | |
| 92 | Chrysomelidae | Phyllotreta tetrastigma | (Comolli, 1837) | 2016 | 1 | 2016 | |
| 92 | Chrysomelidae | Phyllotreta undulata | Kutschera, 1860 | 2003 | 1 | 2003 | |
| 92 | Chrysomelidae | Phyllotreta vittula | (Redtenbacher, 1849) | 1993 | 1 | 1993 | |
| 92 | Chrysomelidae | Plateumaris discolor | (Panzer, 1795) | 1986 | many | 2019 | |
| 92 | Chrysomelidae | Plateumaris sericea | (Linnaeus, 1758) | 1895 | 7 | 2020 | |
| 92 | Chrysomelidae | Prasocuris junci | (Brahm, 1790) | 2020 | 1 | 2020 | |
| 92 | Chrysomelidae | Prasocuris phellandrii | (Linnaeus, 1758) | 1975 | many | 2014 | |
| 92 | Chrysomelidae | Psylliodes chrysocephala | (Linnaeus, 1758) | 1976 | 2 | 2006 | |
| 92 | Chrysomelidae | Psylliodes cuprea | (Koch, J.D.W., 1803) | 1986 | 1 | 1986 | NS |
| 92 | Chrysomelidae | Psylliodes marcida | (Illiger, 1807) | 1958 | 4 | 2003 | |
| 92 | Chrysomelidae | Psylliodes picina | (Marsham, 1802) | 2020 | 2 | 2020 | |
| 92 | Chrysomelidae | Pyrrhalta viburni | (Paykull 1799) | 2019 | 1 | 2019 | |
| 92 | Chrysomelidae | Sphaeroderma rubidum | (Graëlls, 1858) | 2014 | 3 | 2018 | |
| 92 | Chrysomelidae | Sphaeroderma testaceum | (Fabricius, 1775) | 1895 | 9 | 2019 | |
| 95 | Rhynchitidae | Caenorhinus mannerheimii | (Hummel, 1823) | 1918 | 2 | 2019 | |
| 95 | Rhynchitidae | Deporaus betulae | (Linnaeus, 1758) | 1910 | many | 2019 | |
| 95 | Rhynchitidae | Involvulus icosandriae | (Scopoli, 1763) | 1887 | 1 | 1887 | |
| 95 | Rhynchitidae | Neocoenorrhinus germanicus | (Herbst, 1797) | 1959 | 3 | 1986 | |
| 95 | Rhynchitidae | Neocoenorrhinus minutus | (Herbst, 1797) | 1910 | 5 | 1966 | |
| 95 | Rhynchitidae | Temnocerus nanus | (Paykull, 1792) | 1912 | 3 | 1918 | |
| 97 | Apionidae | Aizobius sedi | (Germar, 1818) | 1954 | 3 | 1983 | Nb |

| | | | | | | | |
|----|-----------|--------------------------------|--------------------|------|------|------|----|
| 97 | Apionidae | <i>Apion cruentatum</i> | Walton, J., 1844 | 1908 | 3 | 2014 | |
| 97 | Apionidae | <i>Apion frumentarium</i> | (Linnaeus, 1758) | 1974 | 4 | 2006 | |
| 97 | Apionidae | <i>Apion haematodes</i> | Kirby, W., 1808 | 1911 | 7 | 1980 | |
| 97 | Apionidae | <i>Apion rubens</i> | Stephens, 1839 | 1977 | 1 | 1977 | |
| 97 | Apionidae | <i>Aspidapion aeneum</i> | (Fabricius, 1775) | 1982 | 1 | 1982 | |
| 97 | Apionidae | <i>Betulapion simile</i> | (Kirby, W., 1811) | 2013 | 9 | 2017 | |
| 97 | Apionidae | <i>Ceratapion gibbirostre</i> | (Gyllenhal, 1813) | 1908 | 5 | 2014 | |
| 97 | Apionidae | <i>Ceratapion onopordi</i> | (Kirby, W., 1808) | 1975 | 5 | 2019 | |
| 97 | Apionidae | <i>Cyanapion gyllenhali</i> | (Kirby, W., 1808) | 1918 | 3 | 1918 | |
| 97 | Apionidae | <i>Cyanapion spencii</i> | (Kirby, W., 1808) | 1918 | 1 | 1987 | |
| 97 | Apionidae | <i>Diplapion confluens</i> | (Kirby, W., 1808) | 1965 | 3 | 2016 | |
| 97 | Apionidae | <i>Diplapion stolidum</i> | (Germar, 1817) | 2003 | 1 | 2003 | Nb |
| 97 | Apionidae | <i>Eutrichapion ervi</i> | (Kirby, W., 1808) | 2003 | 10 | 2020 | |
| 97 | Apionidae | <i>Eutrichapion viciae</i> | (Paykull, 1800) | 1916 | 3 | 2014 | |
| 97 | Apionidae | <i>Eutrichapion vorax</i> | (Herbst, 1797) | 1908 | 3 | 2019 | |
| 97 | Apionidae | <i>Exapion ulicis</i> | (Forster, 1771) | 1954 | many | 2019 | |
| 97 | Apionidae | <i>Holotrichapion aethiops</i> | (Herbst, 1797) | 1918 | 2 | 1918 | |
| 97 | Apionidae | <i>Holotrichapion ononis</i> | (Kirby, W., 1808) | 1918 | 10 | 2003 | |
| 97 | Apionidae | <i>Ischnopterapion loti</i> | (Kirby, W., 1808) | 1986 | many | 2018 | |
| 97 | Apionidae | <i>Ischnopterapion virens</i> | (Herbst, 1797) | 1908 | 4 | 2015 | |
| 97 | Apionidae | <i>Kalcapion pallipes</i> | (Kirby, W., 1808) | 1961 | 6 | 2015 | |
| 97 | Apionidae | <i>Oxystoma cerdo</i> | (Gerstäcker, 1854) | 1975 | many | 2019 | Nb |
| 97 | Apionidae | <i>Oxystoma pomonae</i> | (Fabricius, 1798) | 1975 | 1 | 1975 | |
| 97 | Apionidae | <i>Oxystoma subulatum</i> | (Kirby, W., 1808) | 1908 | 6 | 2018 | |
| 97 | Apionidae | <i>Perapion curtirostre</i> | (Germar, 1817) | 1916 | many | 2020 | |
| 97 | Apionidae | <i>Perapion hydrolapathi</i> | (Marsham, 1802) | 1986 | 6 | 2020 | |
| 97 | Apionidae | <i>Perapion marchicum</i> | (Herbst, 1797) | 2011 | 1 | 2011 | |
| 97 | Apionidae | <i>Perapion violaceum</i> | (Kirby, W., 1808) | 1908 | 5 | 1997 | |
| 97 | Apionidae | <i>Pirapion immune</i> | (Kirby, W., 1808) | 1982 | 3 | 2019 | |
| 97 | Apionidae | <i>Protapion apricans</i> | (Herbst, 1797) | 1987 | many | 2020 | |
| 97 | Apionidae | <i>Protapion assimile</i> | (Kirby, W., 1808) | 1954 | 9 | 2019 | |

| | | | | | | | |
|-----|---------------|------------------------------------|------------------------------|------|------|------|------|
| 97 | Apionidae | <i>Protapion fulvipes</i> | (Geoffroy in Fourcroy, 1785) | 1986 | many | 2020 | |
| 97 | Apionidae | <i>Protapion nigrirarse</i> | (Kirby, W., 1808) | 1982 | 1 | 1993 | |
| 97 | Apionidae | <i>Protapion ononidis</i> | (Gyllenhal, 1827) | 1908 | 3 | 2003 | |
| 97 | Apionidae | <i>Protapion trifolii</i> | (Linnaeus, 1768) | 2014 | 1 | 2014 | |
| 97 | Apionidae | <i>Protopirapion atratum</i> | (Germar, 1917) | 1993 | 1 | 1993 | |
| 97 | Apionidae | <i>Stenopterapion tenue</i> | (Kirby, W., 1808) | 1993 | 1 | 1993 | |
| 100 | Eirrhinidae | <i>Grypus equiseti</i> | (Fabricius, 1775) | 1901 | many | 2019 | Nb |
| 100 | Eirrhinidae | <i>Notaris acridulus</i> | (Linnaeus, 1758) | 1901 | many | 2018 | |
| 100 | Eirrhinidae | <i>Notaris aethiops</i> | (Fabricius, 1793) | 1996 | 5 | 2011 | Na |
| 100 | Eirrhinidae | <i>Thryogenes nereis</i> | (Paykull, 1800) | 1994 | 2 | 2017 | |
| 100 | Eirrhinidae | <i>Tournotaris bimaculatus</i> | (Fabricius, 1787) | 1901 | 7 | 2019 | Nb |
| 102 | Curculionidae | <i>Acalles misellus</i> | Boheman, 1844 | 1853 | 7 | 1988 | |
| 102 | Curculionidae | <i>Acalles ptinoides</i> | (Marsham, 1802) | 1962 | 3 | 2020 | Nb |
| 102 | Curculionidae | <i>Andrion regensteinense</i> | (Herbst, 1797) | 2017 | 10 | 2019 | |
| 102 | Curculionidae | <i>Anthonomus bituberculatus</i> | Thomson, C.G., 1868 | 2013 | 3 | 2020 | |
| 102 | Curculionidae | <i>Anthonomus pedicularius</i> | (Linnaeus, 1758) | 1961 | 4 | 2014 | |
| 102 | Curculionidae | <i>Anthonomus rubi</i> | (Herbst, 1795) | 1916 | 4 | 2016 | |
| 102 | Curculionidae | <i>Archarius salicivorus</i> | (Paykull, 1792) | 2012 | 5 | 2020 | |
| 102 | Curculionidae | <i>Bagous alismatis</i> | (Marsham, 1802) | 1900 | 2 | 1900 | Nb |
| 102 | Curculionidae | <i>Bagous lutulentus</i> | (Gyllenhal, 1813) | 2013 | 3 | 2013 | Nb |
| 102 | Curculionidae | <i>Barynotus moerens</i> | (Fabricius, 1793) | 1910 | 9 | 2020 | |
| 102 | Curculionidae | <i>Barynotus obscurus</i> | (Fabricius, 1775) | 1900 | 2 | 2018 | |
| 102 | Curculionidae | <i>Barynotus squamosus</i> | Germar, 1824 | 1978 | 9 | 2019 | Nb |
| 102 | Curculionidae | <i>Caulophilus oryzae</i> | (Gyllenhal, 1838) | 1954 | 1 | 1954 | |
| 102 | Curculionidae | <i>Ceutorhynchus assimilis</i> | (Paykull, 1792) | 1916 | 4 | 1993 | |
| 102 | Curculionidae | <i>Ceutorhynchus cakilis</i> | (Hansen, 1917) | 2003 | 1 | 2003 | RDBK |
| 102 | Curculionidae | <i>Ceutorhynchus cochleariae</i> | (Gyllenhal, 1813) | 1954 | 2 | 1962 | |
| 102 | Curculionidae | <i>Ceutorhynchus contractus</i> | (Marsham, 1802) | 1908 | 7 | 1993 | |
| 102 | Curculionidae | <i>Ceutorhynchus erysimi</i> | (Fabricius, 1787) | 1976 | 4 | 1997 | |
| 102 | Curculionidae | <i>Ceutorhynchus obstrictus</i> | (Marsham, 1802) | 2003 | 1 | 2003 | |
| 102 | Curculionidae | <i>Ceutorhynchus pallidactylus</i> | (Marsham, 1802) | 1993 | 1 | 1993 | |

| | | | | | | | |
|-----|---------------|-------------------------------------------|-------------------|------|------|------|----|
| 102 | Curculionidae | <i>Ceutorhynchus typhae</i> / | (Herbst, 1795) | 1918 | 2 | 1993 | |
| 102 | Curculionidae | <i>Charagmus griseus</i> | (Fabricius, 1775) | 1899 | many | 2019 | |
| 102 | Curculionidae | <i>Cionus scrophulariae</i> | (Linnaeus, 1758) | 1919 | many | 2020 | |
| 102 | Curculionidae | <i>Coeliodes rana</i> | (Fabricius, 1787) | 1918 | 2 | 1954 | |
| 102 | Curculionidae | <i>Coeliodes ruber</i> | (Marsham, 1802) | 1966 | 3 | 2016 | Nb |
| 102 | Curculionidae | <i>Coeliodinus rubicundus</i> | (Herbst, 1795) | 1910 | 5 | 2014 | |
| 102 | Curculionidae | <i>Coelositona cambricus</i> | (Stephens, 1831) | 2011 | 2 | 2014 | |
| 102 | Curculionidae | <i>Cryphalus asperatus</i> | (Gyllenhal, 1813) | 2014 | 4 | 2020 | |
| 102 | Curculionidae | <i>Cryptorhynchus lapathis</i> | (Linnaeus, 1758) | 2015 | 1 | 2015 | |
| 102 | Curculionidae | <i>Curculio villosus</i> | (Fabricius, 1781) | 1964 | 2 | 1966 | Nb |
| 102 | Curculionidae | <i>Dorytomus dejeani</i> | Faust, 1882 | 2015 | 1 | 2015 | |
| 102 | Curculionidae | <i>Dorytomus rufatus</i> | (Bedel, 1888) | 1856 | 2 | 2013 | |
| 102 | Curculionidae | <i>Dorytomus taeniatus</i> | (Fabricius, 1781) | 2019 | 1 | 2019 | |
| 102 | Curculionidae | <i>Dryocoetes alni</i> | (Georg, 1856) | 1964 | 5 | 1981 | |
| 102 | Curculionidae | <i>Dryocoetes autographus</i> | (Ratzeburg, 1837) | 2014 | 2 | 2014 | |
| 102 | Curculionidae | <i>Dryocoetes villosus</i> | (Fabricius, 1793) | 1954 | 3 | 2015 | |
| 102 | Curculionidae | <i>Dryocoetinus alni</i> | (Georg, 1856) | 1966 | 2 | 1966 | Na |
| 102 | Curculionidae | <i>Euophryum confine</i> | (Broun, 1881) | 1974 | 5 | 2019 | |
| 102 | Curculionidae | <i>Exomias araneiformis</i> | (Schrank, 1781) | 1995 | many | 2020 | |
| 102 | Curculionidae | <i>Exomias pellucidus</i> | (Boheman, 1834) | 1966 | many | 2020 | |
| 102 | Curculionidae | <i>Barypeithes sulcifrons</i> | (Boheman, 1843) | 2015 | 2 | 2017 | Nb |
| 102 | Curculionidae | <i>Furcipes (Anthonomus) rectirostris</i> | Linnaeus, 1758) | 2020 | 1 | 2020 | |
| 102 | Curculionidae | <i>Graptus triguttatus</i> | (Fabricius, 1775) | 1996 | 7 | 2018 | |
| 102 | Curculionidae | <i>Gymnetron beccabungae</i> | (Linnaeus, 1761) | 2013 | 2 | 2013 | Na |
| 102 | Curculionidae | <i>Hadroplontus litura</i> | (Fabricius, 1775) | 1962 | 7 | 2014 | |
| 102 | Curculionidae | <i>Hylastes brunneus</i> | Erichson, 1836 | 2015 | 3 | 2019 | |
| 102 | Curculionidae | <i>Hylastes cunicularius</i> | Erichson, 1836 | 2015 | 1 | 2015 | |
| 102 | Curculionidae | <i>Hylastinus obscurus</i> | (Marsham, 1802) | 1954 | 2 | 1966 | |
| 102 | Curculionidae | <i>Hylobius abietis</i> | (Linnaeus, 1758) | 1910 | 10 | 2020 | |
| 102 | Curculionidae | <i>Hylurgops palliatus</i> | (Gyllenhal, 1813) | 1910 | 6 | 2019 | |
| 102 | Curculionidae | <i>Hypera arator</i> | (Linnaeus, 1758) | 1920 | 7 | 2018 | |

| | | | | | | | |
|-----|---------------|------------------------------------|-----------------------|------|------|------|----|
| 102 | Curculionidae | <i>Hypera nigrirostris</i> | (Fabricius, 1775) | 1986 | 2 | 2018 | |
| 102 | Curculionidae | <i>Hypera plantaginis</i> | (De Geer, 1775) | 2012 | 7 | 2018 | |
| 102 | Curculionidae | <i>Hypera pollux</i> | (Fabricius, 1801) | 1976 | 1 | 1976 | |
| 102 | Curculionidae | <i>Hypera rumicis</i> | (Linnaeus, 1758) | 2020 | 1 | 2020 | |
| 102 | Curculionidae | <i>Hypera suspiciosa</i> | (Herbst, 1795) | 1976 | 1 | 1976 | |
| 102 | Curculionidae | <i>Hypera venusta</i> | (Fabricius, 1781) | 2018 | 1 | 2018 | |
| 102 | Curculionidae | <i>Isochnus foliorum</i> | (Müller, O.F., 1764) | 1982 | 1 | 1982 | Na |
| 102 | Curculionidae | <i>Leiosoma deflexum</i> | (Panzer, 1795) | 1954 | many | 2020 | |
| 102 | Curculionidae | <i>Limnobaris dolorosa</i> | (Goeze, 1777) | 1910 | many | 2020 | |
| 102 | Curculionidae | <i>Liophloeus tessulatus</i> | (Müller, O.F., 1776) | 1982 | 1 | 1982 | |
| 102 | Curculionidae | <i>Magdalis duplicata</i> | Germar, 1818 | 2017 | 1 | 2017 | Na |
| 102 | Curculionidae | <i>Mecinus labilis</i> | (Herbst, 1795) | 2003 | 1 | 2003 | |
| 102 | Curculionidae | <i>Mecinus pascuorum</i> | (Gyllenhal, 1813) | 2003 | 1 | 2003 | |
| 102 | Curculionidae | <i>Mecinus pyraeter</i> | (Herbst, 1795) | 1954 | 3 | 2003 | |
| 102 | Curculionidae | <i>Micrelus ericae</i> | (Gyllenhal, 1813) | 1962 | many | 2019 | |
| 102 | Curculionidae | <i>Microplontus rmelanostigma</i> | (Herbst, 1795) | 1986 | 1 | 1986 | |
| 102 | Curculionidae | <i>Nedyus quadrimaculatus</i> | (Linnaeus, 1758) | 1974 | many | 2019 | |
| 102 | Curculionidae | <i>Orchestes fagi</i> | (Linnaeus, 1758) | 1986 | many | 2020 | |
| 102 | Curculionidae | <i>Orchestes quercus</i> | (Linnaeus, 1758) | 1995 | many | 2020 | |
| 102 | Curculionidae | <i>Orchestes rusci</i> | (Herbst, 1795) | 1856 | 10 | 2015 | |
| 102 | Curculionidae | <i>Orchestes signifer</i> | (Creutzer, 1799) | 2018 | 2 | 2018 | |
| 102 | Curculionidae | <i>Orobitis cyaneus</i> | (Linnaeus, 1758) | 1910 | 3 | 2011 | |
| 102 | Curculionidae | <i>Orthocaestes setiger</i> | (Beck, 1817) | 1957 | 3 | 2015 | |
| 102 | Curculionidae | <i>Otiorhynchus arcticus</i> | (Fabricius, O., 1780) | 1976 | 3 | 1988 | |
| 102 | Curculionidae | <i>Otiorhynchus armadillo</i> | (Rossi, 1792) | 2015 | 1 | 2015 | |
| 102 | Curculionidae | <i>Otiorhynchus atroapterus</i> | (De Geer, 1775) | 1908 | many | 2018 | |
| 102 | Curculionidae | <i>Otiorhynchus desertus</i> | Rosenhauer, 1847 | 1954 | 2 | 1962 | Nb |
| 102 | Curculionidae | <i>Otiorhynchus ligneus</i> | (Olivier, 1807) | 1896 | 5 | 2016 | |
| 102 | Curculionidae | <i>Otiorhynchus ovatus</i> | (Linnaeus, 1758) | 1954 | 7 | 2019 | |
| 102 | Curculionidae | <i>Otiorhynchus rugifrons</i> | (Gyllenhal, 1813) | 1897 | 5 | 2016 | |
| 102 | Curculionidae | <i>Otiorhynchus rugosostriatus</i> | (Goeze, 1777) | 1976 | 6 | 2016 | |

| | | | | | | | |
|-----|---------------|------------------------------|-------------------|------|------|------|----|
| 102 | Curculionidae | Otiorhynchus scaber | (Linnaeus, 1758) | 1990 | 1 | 1990 | |
| 102 | Curculionidae | Otiorhynchus singularis | (Linnaeus, 1767) | 1986 | many | 2020 | |
| 102 | Curculionidae | Otiorhynchus sulcatus | (Fabricius, 1775) | 1908 | many | 2020 | |
| 102 | Curculionidae | Parethelcus pollinarius | (Forster, 1771) | 1916 | 4 | 2006 | |
| 102 | Curculionidae | Parethelcus pollinarius | (Forster, 1771) | 1976 | 2 | 1988 | |
| 102 | Curculionidae | Pelenomus quadrituberculatus | (Fabricius, 1787) | 1901 | 7 | 2020 | |
| 102 | Curculionidae | Pelenomus zumpti | (Wagner, 1939) | 1996 | 1 | 1996 | Na |
| 102 | Curculionidae | Pentarthrum huttoni | Wollaston, 1854 | 1961 | 1 | 1961 | |
| 102 | Curculionidae | Philopedon plagiatum | (Schaller, 1783) | 1920 | many | 2019 | |
| 102 | Curculionidae | Phloeophagus lignarius | (Marsham, 1802) | 1961 | 1 | 1961 | |
| 102 | Curculionidae | Phyllobius argentatus | (Linnaeus, 1758) | 1995 | many | 2019 | |
| 102 | Curculionidae | Phyllobius glaucus | (Scopoli, 1763) | 1967 | 7 | 2020 | |
| 102 | Curculionidae | Phyllobius maculicornis | Germar, 1824 | 1995 | 8 | 2019 | |
| 102 | Curculionidae | Phyllobius oblongus | (Linnaeus, 1758) | 1995 | 7 | 2020 | |
| 102 | Curculionidae | Phyllobius pomaceus | Gyllenhal, 1834 | 1983 | many | 2020 | |
| 102 | Curculionidae | Phyllobius pyri | (Linnaeus, 1758) | 1912 | many | 2020 | |
| 102 | Curculionidae | Phyllobius roboretanus | Gredler, 1882 | 1954 | 6 | 2018 | |
| 102 | Curculionidae | Phyllobius viridicollis | (Fabricius, 1801) | 1913 | 8 | 2019 | |
| 102 | Curculionidae | Phytobius leucogaster | (Marsham, 1802) | 1910 | 1 | 1910 | Nb |
| 102 | Curculionidae | Pissodes pini | (Linnaeus, 1758) | 2014 | 2 | 2018 | |
| 102 | Curculionidae | Polydrusus cervinus | (Linnaeus, 1758) | 2015 | 1 | 2015 | |
| 102 | Curculionidae | Polydrusus formosus | (Mayer, 1779) | 2018 | 6 | 2020 | Na |
| 102 | Curculionidae | Polydrusus mollis | (Strom, 1768) | 2015 | 1 | 2015 | |
| 102 | Curculionidae | Polydrusus pilosus | Gredler, 1866 | 1997 | 6 | 2018 | |
| 102 | Curculionidae | Polydrusus pterygomalis | Boheman, 1840 | 2007 | 10 | 2020 | |
| 102 | Curculionidae | Polydrusus tereticollis | (De Geer, 1775) | 1959 | 10 | 2018 | |
| 102 | Curculionidae | Pseudophloeophagus truncorum | (Stephens, 1831) | 1959 | 1 | 1959 | |
| 102 | Curculionidae | Rhamphus oxyacanthae | (Marsham, 1802) | 2016 | 3 | 2019 | |
| 102 | Curculionidae | Rhamphus pulicarius | (Herbst, 1795) | 1959 | 1 | 1959 | |
| 102 | Curculionidae | Rhinoncus castor | (Fabricius, 1793) | 1961 | many | 2019 | |
| 102 | Curculionidae | Rhinoncus pericarpus | (Linnaeus, 1758) | 1916 | many | 2020 | |

| | | | | | | | |
|-----|---------------|-----------------------------|----------------------|------|------|------|----|
| 102 | Curculionidae | Rhinoncus perpendicularis | (Reich, 1797) | 1993 | 2 | 2019 | |
| 102 | Curculionidae | Rhinusa linariae | (Panzer, 1795) | 1993 | 1 | 1993 | |
| 102 | Curculionidae | Rhopalomesites tardyi | (Curtis, 1825) | 1910 | 8 | 2017 | Nb |
| 102 | Curculionidae | Sciaphilus asperatus | (Bonsdorff, 1785) | 1856 | 10 | 2020 | |
| 102 | Curculionidae | Scolytus ratzeburgi | Janson, E.W., 1856 | 2013 | 1 | 2013 | Nb |
| 102 | Curculionidae | Sitona ambiguus | Gyllenhal, 1834 | 1954 | many | 2018 | |
| 102 | Curculionidae | Sitona hispidulus | (Fabricius, 1777) | 1985 | 4 | 2015 | |
| 102 | Curculionidae | Sitona lepidus | Gyllenhal, 1834 | 1987 | many | 2019 | |
| 102 | Curculionidae | Sitona lineatus | (Linnaeus, 1758) | 1921 | 3 | 2019 | |
| 102 | Curculionidae | Sitona lineellus | (Bonsdorff, 1785) | 2003 | 6 | 2018 | |
| 102 | Curculionidae | Sitona puncticollis | Stephens, 1831 | 2012 | 3 | 2019 | |
| 102 | Curculionidae | Sitona striatellus | Gyllenhal, 1834 | 2013 | 1 | 2013 | |
| 102 | Curculionidae | Sitona sulcifrons | (Thunberg, 1798) | 2012 | 7 | 2018 | |
| 102 | Curculionidae | Sitona suturalis | Stephens, 1831 | 1996 | 6 | 2019 | |
| 102 | Curculionidae | Stenocarus ruficornis | (Stephens, 1831) | 1920 | 1 | 1920 | Nb |
| 102 | Curculionidae | Strophosoma melanogrammmum | (Forster, 1771) | 1920 | many | 2020 | |
| 102 | Curculionidae | Tachyerges salicis | (Linnaeus, 1758) | 1916 | 8 | 2019 | |
| 102 | Curculionidae | Tachyerges stigma | (Germar, 1821) | 1959 | 3 | 2015 | |
| 102 | Curculionidae | Thamiocolus viduatus | (Gyllenhal, 1813) | 1973 | 1 | 1973 | |
| 102 | Curculionidae | Tomicus piniperda | (Linnaeus, 1758) | 2019 | 1 | 2019 | |
| 102 | Curculionidae | Trachyphloeus bifoveolatus | (Beck, 1817) | 1953 | 1 | 1953 | |
| 102 | Curculionidae | Trichosirocalus dawsoni | (Brisout, Ch., 1869) | 1954 | 9 | 2003 | Nb |
| 102 | Curculionidae | Trichosirocalus troglodytes | (Fabricius, 1787) | 1962 | many | 2019 | |
| 102 | Curculionidae | Tropiphorus elevatus | (Herbst, 1795) | 1961 | 2 | 2020 | Nb |
| 102 | Curculionidae | Tropiphorus terricola | (Newman, 1838) | 1856 | 3 | 2019 | Nb |
| 102 | Curculionidae | Trypodendron domesticum | (Linnaeus, 1758) | 1959 | 5 | 2019 | |
| 102 | Curculionidae | Trypodendron lineatum | (Olivier, 1795) | 2014 | 2 | 2016 | |
| 102 | Curculionidae | Zacladus geranii | (Paykull, 1800) | 1975 | 3 | 1996 | |